


Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:


Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. Z-7

CASS COUNTY LAND CORNER RECORD

T. 141 R. 27 M. 5TH Coordinates: X _____ Y _____
S1/432 & MC#27 Corner common to sections 32 AND 5-140-27



EXISTING SURVEYS

Original Government Survey

Year surveyed 1865
Original monument POST

Original Evidence Found

Year of search _____ By _____
Monument found _____

Bearing Trees

Species	<u>CEDAR</u>	<u>CEDAR</u>	_____
Diameter	<u>10"</u>	<u>4"</u>	_____
Bearing	<u>N15E</u>	<u>S28E</u>	_____
Distance	<u>7LKS</u>	<u>12LKS</u>	_____

Original Bearing Trees Found

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1919 By GLO
Location filed SECRETARY OF STATE
Monument FIND WOOD STAKE AND OLD GUM BITS; 12" CEDAR
S28E 12LKS i NE BIT LYING ON GROUND.
1942 - JOHN CURRY, BOOK D' P305 FIND S.E. GUM BIT

Evidence of Subsequent Corner Restoration

Year of search _____ By _____

Bearing Trees, Reference Objects

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Bearing Trees, Reference Objects

_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
CERTIFICATE - BILL OKERMAN - 1969
Found 4" Cedar S28E 7.9' now 12"
Set 2" x 5' galvanized steel pipe filled
with concrete and capped with 3" stamped
brnze tablet. TIES: 6" Elm N8W 20.4';
6" Twin Ash N59E 48.8'; 15" Cedar S28E
8.4'; 4" Elm S59E 25.9'.

Remonumentation certificate prepared _____

By _____

Filed at _____

Date _____