


T. 143 R. 26 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
N 14 29 Corner common to sections 20, 29



○ = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1872  
Original monument Post

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

Bearing Trees

Species	<u>N. Pine</u>	<u>W. Pine</u>	
Diameter	<u>36"</u>	<u>22"</u>	
Bearing	<u>S61E</u>	<u>N10W</u>	
Distance	<u>10 LKS</u>	<u>30 LKS</u>	

Original Bearing Trees Found

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1918 By JAMES FLYNN  
Location filed COUNTY BOOK "C" P. 150  
Monument TWO OLD CORNER B.T. STUMPS: N. PINE 36"  
S61E 10 LKS, 22" W. PINE N10E 30 LKS SET  
IRON MONUMENT 2 1/2 X 30" W/ CAP  
COUNTY RESURVEY 1918 "E-3"

Evidence of Subsequent Corner Restoration

Year of search 1968 By William OKerman  
Set 2" x 5' steel pipe filled with concrete  
and capped with 3" stamped bronze  
tablet.

Bearing Trees, Reference Objects

Species	<u>ELM</u>	<u>ELM</u>	
Diameter	<u>8"</u>	<u>6"</u>	
Bearing	<u>N60W</u>	<u>S44W</u>	
Distance	<u>28.5'</u>	<u>35'</u>	

Bearing Trees, Reference Objects

Elm	Elm	Elm	Twin Elm	Cedar Post
<u>15"</u>	<u>10"</u>	<u>6"</u>	<u>6"</u>	<u>4x4x72"</u>
<u>N58W</u>	<u>S44W</u>	<u>S8W</u>	<u>S50E</u>	<u>North</u>
<u>28.5'</u>	<u>35.0'</u>	<u>31.05'</u>	<u>22.4'</u>	<u>5.70'</u>

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed \_\_\_\_\_  
Monument \_\_\_\_\_

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
CE 2717 1696 - BILL OKERMAN - 1968