

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____

= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed: _____
Monument: _____

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed: _____
Monument: _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed: _____
Monument: _____


Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed: _____
Monument: _____

Index No. V19

CASS COUNTY LAND CORNER RECORD

T. 143 R. 27 M. 5TH Coordinates: X _____ Y _____
N14 35 Corner common to sections 26, 35



○ = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1873
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

Bearing Trees

Species	<u>Fir</u>	<u>Birch</u>	_____	_____
Diameter	<u>10"</u>	<u>12"</u>	_____	_____
Bearing	<u>S41W</u>	<u>N6E</u>	_____	_____
Distance	<u>13 LKS</u>	<u>43 LKS</u>	_____	_____

Original Bearing Trees Found

Species	_____	_____	_____	_____
Diameter	_____	_____	_____	_____
Bearing	_____	_____	_____	_____
Distance	_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1915 By JOHN LIND
Location filed COUNTY BOOK 8 P. 455-462
Monument SET PROPORTIONALLY.

Evidence of Subsequent Corner Restoration

Year of search 1998 By NLSEM RLS #16089
Set a 2" x 24" galv. steel pipe w/ brass cap, below road surface.

also on microfilm - roll 115 BK 79 P. 27

Bearing Trees, Reference Objects

Species	<u>W. PINE STUMP</u>	<u>W. PINE STUMP</u>	_____	_____
Diameter	<u>40"</u>	<u>40"</u>	_____	_____
Bearing	<u>S41E</u>	<u>S60W</u>	_____	_____
Distance	<u>85.08'</u>	<u>42.20'</u>	_____	_____

Bearing Trees, Reference Objects

<u>Aspen</u>	<u>Maple</u>	<u>Oak</u>	<u>Steel</u>
<u>7"</u>	<u>6"</u>	<u>4"</u>	<u>Sign Post</u>
<u>S24°W</u>	<u>N9°W</u>	<u>N40°W</u>	<u>South</u>
<u>88.31'</u>	<u>52.89'</u>	<u>80.53'</u>	<u>38.86'</u>

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____

Remonumentation certificate prepared _____
Filed at CCRO Des. # 412864

By NLSEM
Date 5/17/99