


T. 143 R. 29 M. 574 Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
E/4 Corner common to sections 5, 6



EXISTING SURVEYS

Original Government Survey

Year surveyed 1873  
Original monument Post

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

Bearing Trees

Species	<u>Tam</u>	<u>Tam</u>	_____
Diameter	<u>9"</u>	<u>8"</u>	_____
Bearing	<u>East</u>	<u>S27W</u>	_____
Distance	<u>11 LKS</u>	<u>8 LKS</u>	_____

Original Bearing Trees Found

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

O = Corner

Subsequent Corner Restoration

Year surveyed 1924 By GLD  
Location filed Sec. of State  
Monument Set 1x3/8" 1/2" w/ brass cap 1/4  
56/55  
1924

Evidence of Subsequent Corner Restoration

Year of search 1987 By Gary Stevenson  
Corner Certificate - Doc # 306486  
Find 1924 GLD 1" 1/2" w/ brass cap and 1 1924  
GLD BT.

Bearing Trees, Reference Objects

Species	<u>Maple</u>	<u>Y. Birch</u>	_____
Diameter	<u>7"</u>	<u>12"</u>	_____
Bearing	<u>S62-45E</u>	<u>S71-30W</u>	_____
Distance	<u>21 LKS</u>	<u>82 LKS</u>	_____

Bearing Trees, Reference Objects

<u>Birch</u>	<u>Birch</u>	<u>Ash</u>	_____
<u>24"</u>	<u>18"</u>	<u>12"</u>	_____
<u>S60E</u>	<u>S70W</u>	<u>N30W</u>	_____
<u>23.31'</u>	<u>54.42'</u>	<u>36.90'</u>	_____
<u>1924 BT</u>			

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed \_\_\_\_\_  
Monument \_\_\_\_\_

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Certificate - Gary Stevenson - 1987