P	M Coordinates: X		~	
	M Coordinates: X Corner common to sections			
		EXISTING	SURVEYS	
	Original Government Survey		Original Evidence Found	
Year surveyed			Year of search by	
			Monument found	
_				= Corne
	Bearing Trees		Original Bearing Tree	es Found
Species			Species	
Diameter			Diamatar	
Bearing			Bearing	
Distance			Distance	
	Subsequent Corner Restoration		Evidence of Subsequent Co	rner Restoration
Year surveyed	Ву		Year of search By	
Location filed:		1/4	Location filed:	
Monument:		1/4	Monument:	
	Bearing Trees, Reference Objects		Bearing Trees,	Reference Objects
Species			Species	
Diameter			Diameter	
Bearing			Bearing	
Distance			Distance	
	Subsequent Corner Restoration		Evidence of Subsequent Corner	
Year surveyed	Ву			
Location filed:			Location filed:	
Monument:			Monument:	
	1/4 -			
			11	

Index No. CASS COUNTY LAND CORNER RECORD					
T R	M. Coordinates:	x	Y		Page of
	Subsequent Corner Restoration		Evidence o	f Subsequent Corn	er Restoration Found
Year surveyed			Year of search		
Location filed:	·		Location filed:	`	
Monument:			Monument:		
		1/4 ——			

r. 1/3 p. 2.9 m. 57H Coordinates: X       Y         M <sup>1</sup> Q Z5       Corner common to sections ZY/Z5         Original Government Survey       Driginal Evidence Found         Year surveyed IF Z3       Original Booring Trees Found         Original manument Leczt       Manument founda         Socies 2Ct Aget Carring Trees       Doriginal Booring Trees Found         Socies 2Ct Aget Carring Trees       Doriginal Booring Trees Found         Distance 9 (LE / 14 (Lz       Distance         Subsequent Carring Restoration       Vier of search 172 // 10 (Local Carring Trees Found         Subsequent Carring Restoration       Vier of search 172 // 10 (Local Carring Trees Found         Nonament Sect 1736' Line // Local Carring Trees Found       Vier of search 172 // 10 (Local Carring Trees Found         Subsequent Carring Restoration       Vier of search 172 // 10 (Local Carring Trees Found 172 // 10 (Locarring Trees Found 172 // 10 (Local Carring Trees Foun	Index No. <u>R 23</u> CASS COUNTY LANI	CORNER RECORD	P   ]
EXISTING SURVEYS         Original Government Survey         Original Government Survey         Original Evidence Found         Year surveyed	T. $\frac{143}{N'/4}$ R. $\frac{29}{5}$ M. $\frac{574}{574}$ Coordinates: X	Y	·
Original Government Survey       Original Evidence Found         Year surveyed       [17.3]         Original monument Less       Monument found         Species       Serving Trees         Species       Serving Trees         Diameter       Serving         Bearing       State         Diameter       State         Distance       State         Subsequent Corner Restoration       Evidence of Subsequent Carner Restoration         Year surveyed       1918         Location filed       State         Bearing       Trees, Reference Objects         Species       State         Species       State         Bearing       Trees, Reference Objects         Species       State         Species       State         Diameter       State         Ital       State         Species       State         Species       State         Species       State         Species       State         Species       State         Species       Species         Species       Species         Species       State         Species       State			25
Year surveyed $III 23$ Original monument less       Year of search       By         Species $Serring Res$ Original Bearing Trees       Original Bearing Trees Found       O = Carner         Species $Serring Res       Diameter       Serring Res       Diameter       O         Diameter       E'' B''       Bearing       Diameter       O       = Carner         Subsequent Corner Restoration       Subsequent Corner Restoration       Evidence of Subsequent Corner Restoration       Year of search       III R         Monument Set I X36' I.R all backs Cep       K SR SR' C Restoration       Year of search       III R         Monument Set I X36' I.R all backs Cep       K SR' Restoration       Year of search       III R III R         Monument Restoration       Year of search IR S Subsequent Corner Restoration       Year of search IR S Subsequent Southace       III R IIII R IIIII R IIII R IIII R IIIIII$			
Original monument lest       Monument found       i         Species       Ext Maple       Bearing Trees       Original Bearing Trees Found       O = Corner         Species       Ext Maple       Species       Diameter			+ + + + +
Species $Set + Age/c$ Original Bearing TreesSpecies $Set + Age/c$ Original Bearing Trees FoundDiameterBearing $SyleOriginal Bearing Trees FoundDiameterBearing SyleOriginal Bearing Trees FoundSubsequent Corner RestorationSubsequent Corner RestorationVear of search 1974Subsequent Corner RestorationYear of search 1974Corner 1974Subsequent Corner RestorationYear of search 1974Subsequent Corner RestorationYear of search 1974Diameter 2^{1/2}Multi Sec of 54c frSpecies 5/a frSpecies 5/aTrees, Reference ObjectsSystem 2^{1/2}Bearing Trees, Reference ObjectsSystem 2^{1/2}System 2^{1/2}<$	Original monument Post		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $			
Distance       9225       19225         Subsequent Corner Restoration       Evidence of Subsequent Corner Restoration         Year of search       1974       By BLM         No contain filed Sec. of Sktr       No contexport       Surveyed 1978         Monument       Set 1836" [Brind] backs Cep       14       Superior         Bearing       Tress, Reference Objects       1974       Superior         Species       Set 145       State       1974       Superior         Bearing       N19726       State       1974       Superior         Distance       24445       State       5726"       1974         Superior       May Dipperior       Superior       1974       1974         Superior       State       State       1974       1974         Distance       State       State	Species Soft Maple Species Trees	Species	
Distance       9225       19225         Subsequent Corner Restoration       Evidence of Subsequent Corner Restoration         Year of search       1974       By BLM         No contain filed Sec. of Sktr       No contexport       Surveyed 1978         Monument       Set 1836" [Brind] backs Cep       14       Superior         Bearing       Tress, Reference Objects       1974       Superior         Species       Set 145       State       1974       Superior         Bearing       N19726       State       1974       Superior         Distance       24445       State       5726"       1974         Superior       May Dipperior       Superior       1974       1974         Superior       State       State       1974       1974         Distance       State       State	Province SYLE N5372E	81	
Subsequent Corner RestorationYear surveyed 1918By 610Location filed Sec. of StateNo 60Monument Set 1x36''Life all brass cap14 524Monument Set 1x36''Life all brass cap1976Species1976Species1974Bearing N19126572314EDiameter $\frac{7''}{7'}$ 14''Distance24445State573614929Monument Set 5 (up Namerit influce 6:44'' w Sw)Subsequent Corner RestorationSubsequent Corner Restoration <th>Distance 9445 14445</th> <th></th> <th></th>	Distance 9445 14445		
Year surveyed 1918By 610Location filed Sec. of StateBy 610Monument Set 1x36'' 1P in J brass Cap11 524Monument Set 1x36'' 1P in J brass Cap14 524Jan 2001916Image: Species ElimAshDiameter1916Diameter1917Bearing1917Diameter1917Subsequent Corner RestorationEvidence of Subsequent Corner Restoration FoundSubsequent Corner RestorationEvidence of Subsequent Corner Restoration FoundYear surveyed 1977By Ca. Hwr Argt, Subsequent Corner RestorationSubsequent Corner RestorationEvidence of Subsequent Corner Restoration FoundSubsequent Corner RestorationEvidence of Subsequent Corner Restoration FoundSet Cl. Youds K. (C. Set Tries to Conter:91 Bassacid NW 83.70' Sirch Sciner:Strein N E Sirch Sciner:19 Bassacid NW 83.70' Sirch Sciner ScinerStrein N E S			
Location filed Sec. of StateMonument Set Ix36''llinil/brass Cap14524Monument Set Ix36''llinil/brass Cap14524Image: Set Ix36''llinil/brass Cap14524Image: Set Ix36''llinil/brass Cap1916Image: Set Ix36''llinil/brass Cap1916Image: Set Ix36''llinil/brass Cap1916Image: Set Ix36''llinil/brass Cap1916Image: Set Ix36''llinil/brass Cap1974Image: Set Ix36''llinil/brass Cap1974Image: Set Ix36''llinil/brass1974Species1974Bearing N19726''Bearing N19726''Subsequent Corner RestorationStateSubsequent Corner RestorationEvidence of Subsequent Corner Restoration FoundYear surveyed 1977By Callining CalliningLocation filed G Ro # 73StateMonument Brass (sp. Manument influct Giff' wideYear of searchImage: Set Ix of the Second NW 83.70'94'' MagleImage: Set Ix of the Second NW 83.70'10'' MagleImage: Set Ix of the Second NW 83.70'10'' MagleImage: Second NW 83.70'10'' MagleImage: Second NW 83.70'10''' MagleImage: Second NW 83.70'10''''''''''''''''''''''''''''''''''''			
MonumentSet $1\times36''  l^2  l^2  l^2  l^2  l^2  l^2  l^2  l^2$	Year surveyed 1918 By GLO	Year of search 1974 By BL	M
19161/4 524Species1/4Species1/4Diameter1/4Diameter1/4T1/30 Rayw 525/m1774Bearing Trees, Reference ObjectsIP 1/2Subsequent Corner RestorationEvidence of Subsequent Corner RestorationSubsequent Corner RestorationEvidence of Subsequent Corner Restoration FoundYear of searchBy Cal Hwr Dept.Location filed Co Ro # T3Monument Briss (up Menument inflace 6:447' WSW)Strend NW 83.70'24' Kay ME 20'Set Corner ?By Cal Hwr Dept.Location filed Co Ro # T3Monument Briss (up Menument inflace 6:447' WSW)Strend NW 83.70'Tres to Corner ?B' Rayw 55.72'Tres to Corner ?B' Rayw 55.72'Tres to R'm ?: 12" Augle S 67.2'Tres to R'm ?: 12" Augle S 67.2'Tres to R'm ?: 12" Augle S 67.2'	Location filed Sec. of State	NO EDIACNIE OF 1710 Survey -	Set 116 Pod w/
19161/4 524Species1/4Species1/4Diameter1/4Diameter1/4T1/30 Rayw 525/m1774Bearing Trees, Reference ObjectsIP 1/2Subsequent Corner RestorationEvidence of Subsequent Corner RestorationSubsequent Corner RestorationEvidence of Subsequent Corner Restoration FoundYear of searchBy Cal Hwr Dept.Location filed Co Ro # T3Monument Briss (up Menument inflace 6:447' WSW)Strend NW 83.70'24' Kay ME 20'Set Corner ?By Cal Hwr Dept.Location filed Co Ro # T3Monument Briss (up Menument inflace 6:447' WSW)Strend NW 83.70'Tres to Corner ?B' Rayw 55.72'Tres to Corner ?B' Rayw 55.72'Tres to R'm ?: 12" Augle S 67.2'Tres to R'm ?: 12" Augle S 67.2'Tres to R'm ?: 12" Augle S 67.2'	Monument Set 1x36" ININI bruss Cap 1/ 524	Deanze Cap 10" under grave	Surface
Bearing Trees, Reference Objects         Species //m         Diameter       7"       14"         Diameter       7"       14"         Bearing       N19"/2E       57.23/4E       6"         Distance       24145       57145       6"         Subsequent Corner Restoration       Evidence of Subsequent Corner Restoration Found         Year surveyed       1974       6"         Subsequent Corner Restoration       Evidence of Subsequent Corner Restoration Found         Year surveyed       1974       92"         Location       filed (0 Rp # 73)       8"         Monument       Sets (up Menument) inplace (ut 44" us (u)       98.30"         aff P.I. rougds       R.C. SE       94" Reference N 98.30"         aff P.I. NE       85.72"       12" Maple         aff P.I. NE       86.72"       12" Maple         aff P.I. Neple       567.2"       12" Maple         aff P.I. Neple       567.2"       12" Maple			
Bearing Trees, Reference Objects         Species //m         Diameter       7"       14"         Diameter       7"       14"         Bearing       N19"/2E       57.23/4E       6"         Distance       24145       57145       6"         Subsequent Corner Restoration       Evidence of Subsequent Corner Restoration Found         Year surveyed       1974       6"         Subsequent Corner Restoration       Evidence of Subsequent Corner Restoration Found         Year surveyed       1974       92"         Location       filed (0 Rp # 73)       8"         Monument       Sets (up Menument) inplace (ut 44" us (u)       98.30"         aff P.I. rougds       R.C. SE       94" Reference N 98.30"         aff P.I. NE       85.72"       12" Maple         aff P.I. NE       86.72"       12" Maple         aff P.I. Neple       567.2"       12" Maple         aff P.I. Neple       567.2"       12" Maple	1978		<u> </u>
Distance     24245     57245     10245       Subsequent Corner Restoration     Evidence of Subsequent Corner Restoration Found       Year surveyed     1974     By Co. Hwr Dept.       Location filed Co Ro # 73     Year of search     By       Monument     Briss (up Menument inplace 6:44' WSW)     Subsequent Corner ?       of P.I.     Youds     R.C. SE       JTES to Corner ?     8"Besswood NW 83.70'       By     85.72'       Tites to KM ?     13"Maple	Beoring Trees, Reference Objects	Bearing Trees, Referenc	Objects 1974
Distance     24245     57245     10245       Subsequent Corner Restoration     Evidence of Subsequent Corner Restoration Found       Year surveyed     1974     By Co. Hwr Dept.       Location filed Co Ro # 73     Year of search     By       Monument     Briss (up Menument inplace 6:44' WSW)     Subsequent Corner ?       of P.I.     Youds     R.C. SE       JTES to Corner ?     8"Besswood NW 83.70'       By     85.72'       Tites to KM ?     13"Maple	Species $\mathcal{E}/\mathcal{I}_{\mathcal{I}}$ $\mathcal{I}_{\mathcal{I}}$	T 112 . 828	4 <u>f-15</u>
Distance     24245     57245     10245       Subsequent Corner Restoration     Evidence of Subsequent Corner Restoration Found       Year surveyed     1974     By Co. Hwr Dept.       Location filed Co Ro # 73     Year of search     By       Monument     Briss (up Menument inplace 6:44' WSW)     Subsequent Corner ?       of P.I.     Youds     R.C. SE       JTES to Corner ?     8"Besswood NW 83.70'       By     85.72'       Tites to KM ?     13"Maple	Diameter $p_{\mu}$ $p_{$	SYTE A	3000
Subsequent Corner Restoration     Evidence of Subsequent Corner Restoration Found       Year surveyed 1974     By Co. Hwr Dept.       Location filed Co Ro # 73     Year of search       Monument Briss rup Manument influce 6:44' WSW       of P.I. rouds' R.C. SE       Tres to Corner.' 8''Bassword NW 83.70'       8'' Elm NE 85.72'       Tres to RM : 13'' Maple 5 67.2'	Distance 241KS 51LKS	6742 (ks	olks
Year surveyed 1974 By Co. Hur Dept. Location filed Co Ro # 73 Monument Bress rup Menument influce 6:44' WSW of P.I. Youds R.C. SE 			
	Year surveyed 1974 By Confluct Dept, Location filed Co Ro # 73 Monument Briss rup Menument inplace 6.44' WSW of P.1. Youds R.C. SE 		
	Remonumentation certificate prepared	Ву	ng mga sagan mata aya ng casana ang sa ta ga gaga
	Filed at	Date	