



T. 143 R. 31 M. 5TH Coordinates: X _____ Y _____
NE 13 Corner common to sections 12, 13 AND 7, 18 - 143-30

EXISTING SURVEYS

Original Government Survey

Year surveyed 1875
Original monument Post

Species	Bearing	Tree
<u>Aspen</u>	<u>W 60°K</u>	<u>W. oak</u>
<u>Aspen</u>		
Diameter <u>9"</u>	<u>5"</u>	<u>4"</u>
Bearing <u>S13E</u>	<u>S44W</u>	<u>N43W</u>
Distance <u>20LKS</u>	<u>24LKS</u>	<u>23LKS</u>

Original Evidence Found

Year of search _____ By _____
Monument found _____

Original Bearing Trees Found

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1919 By GLO
Location filed Sec. of State
Monument no orig. evidence - set 2x36" l.p.w/brass cap
7143N
R31W/R30W
S12/S7
S13/S18

Evidence of Subsequent Corner Restoration

Year of search 1982 By Walter Curo
Found 2" pipe with brass cap in
cleared power line.

Species	Diameter	Bearing	Distance
<u>W. oak</u>	<u>4"</u>	<u>N43 1/2 E</u>	<u>39 LKS</u>
<u>W. oak</u>	<u>4"</u>	<u>S46 1/4 E</u>	<u>26 LKS</u>
<u>poplar</u>	<u>12"</u>	<u>S29 1/4 W</u>	<u>53 LKS</u>
<u>poplar</u>	<u>5"</u>	<u>N31 1/4 W</u>	<u>29 LKS</u>

Species	Diameter	Bearing	Distance
<u>W. oak</u>	<u>9"</u>	<u>N50 W</u>	<u>60.30'</u>
<u>W. oak</u>	<u>6"</u>	<u>S50 W</u>	<u>48.77'</u>
<u>W. oak</u>	<u>9"</u>	<u>N40 E</u>	<u>80.05'</u>
<u>W. oak</u>	<u>10"</u>	<u>S40 E</u>	<u>56.33'</u>

Remuneration certificate prepared _____ By _____ Date _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____ Monument _____

Evidence of Subsequent Corner Restoration Found

Doc. # 268838
certificate - wait (yo) - 1983

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____ Monument _____