


T. 144 R. 26 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
NE 35 Corner common to sections 25, 26, 35, 36



○ = Corner

EXISTING SURVEYS

Original Government Survey  
 Year surveyed 1875  
 Original monument Post

Original Evidence Found  
 Year of search \_\_\_\_\_ By \_\_\_\_\_  
 Monument found \_\_\_\_\_

Bearing Trees  
 Species Aspen Spruce Cedar Cedar  
 Diameter 14" 8" 8" 7"  
 Bearing S84W S2W S71E N32W  
 Distance 20LKS 26LKS 26LKS 22LKS

Original Bearing Trees Found  
 Species \_\_\_\_\_  
 Diameter \_\_\_\_\_  
 Bearing \_\_\_\_\_  
 Distance \_\_\_\_\_

Subsequent Corner Restoration  
 Year surveyed 1919 By JAMES FLYNN  
 Location filed COUNTY BOOK "C" P. 175  
 Monument FR. OLD GOUT BIT: STUMP 9" CEDAR N32W  
4.5" SET IRON MONUMENT

Evidence of Subsequent Corner Restoration  
 Year of search 1959 By DNR-Engineering  
Map & notes in file  
R.R. Spike

Bearing Trees, Reference Objects  
 Species \_\_\_\_\_  
 Diameter \_\_\_\_\_  
 Bearing \_\_\_\_\_  
 Distance \_\_\_\_\_

Bearing Trees, Reference Objects  
 Treated post 8" Aspen CFP  
4" N & B.C. N & B.C.  
North N.W. South  
36.3' 29.57' 27.85'

Subsequent Corner Restoration  
 Year surveyed 1953 By L.W. Fassett  
 Location filed USFS  
 Monument Set treated post

Evidence of Subsequent Corner Restoration Found  
 Year of search \_\_\_\_\_ By \_\_\_\_\_  
CERTIFICATE - BILL CHERMAN - 1970 FILED IN 1979  
Doc. # 259046  
Set 2" x 24" iron pipe with brass cap.  
9" Elm N10E 74.90'  
8" Ash N43E 92.60'  
10" Aspen S24W 130.40'  
6" Elm N58W 77.30'  
Cedar post 4" x 4" x 72" North 36.30'