


T. 144 R. 27 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
NE 9 Corner common to sections 3, 4, 9, 10



EXISTING SURVEYS

Original Government Survey

Year surveyed 1873  
Original monument Post

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

	Bearing Trees			
Species	<u>Poplar</u>	<u>Poplar</u>	<u>Poplar</u>	<u>Poplar</u>
Diameter	<u>4"</u>	<u>4"</u>	<u>4"</u>	<u>5"</u>
Bearing	<u>N51W</u>	<u>S20W</u>	<u>S53E</u>	<u>N53E</u>
Distance	<u>8 LKS</u>	<u>5 LKS</u>	<u>15 LKS</u>	<u>7 LKS</u>

Original Bearing Trees Found

Species	_____	_____	_____	_____
Diameter	_____	_____	_____	_____
Bearing	_____	_____	_____	_____
Distance	_____	_____	_____	_____

O = Corner

Subsequent Corner Restoration

Year surveyed 1937 By GLO  
Location filed Sec. of State  
Monument End NW Bit - new 14" and stump hole of SW Bit. Set concrete man 2' long, 6" dia w/ brass cap T144NR2W

Evidence of Subsequent Corner Restoration

Year of search 1966 By William Okerman  
Found GLO monument in good condition.

	Bearing Trees, Reference Objects			
Species	<u>Poplar</u>	<u>Poplar</u>	<u>Tim</u>	<u>Cedar</u>
Diameter	<u>6"</u>	<u>6"</u>	<u>5"</u>	<u>6"</u>
Bearing	<u>N48 1/2 E</u>	<u>S64 1/2 E</u>	<u>S54 1/2 W</u>	<u>N21 1/2 W</u>
Distance	<u>23 LKS</u>	<u>53 LKS</u>	<u>129 LKS</u>	<u>170 LKS</u>

	Bearing Trees, Reference Objects			
Species	<u>Birch</u>	<u>Birch</u>	<u>Birch</u>	<u>Birch</u>
Diameter	<u>6"</u>	<u>6"</u>	<u>6"</u>	<u>5"</u>
Bearing	<u>N48W</u>	<u>N23E</u>	<u>S77E</u>	<u>S44W</u>
Distance	<u>10.6'</u>	<u>19.9'</u>	<u>18.5'</u>	<u>54.3'</u>

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed \_\_\_\_\_  
Monument \_\_\_\_\_

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
CERTIFICATE - OKERMAN - 1966

Remonumentation certificate prepared \_\_\_\_\_ By \_\_\_\_\_  
Filed at \_\_\_\_\_ Date \_\_\_\_\_