


T. 144 R. 27 M. 5TH Coordinates: X _____ Y _____
NE 29 Corner common to sections 20, 21, 28, 29



O = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1873
Original monument Post

Original Evidence Found

Year of search _____ By _____
Monument found _____

Species	Bearing Trees			
	Cedar	Cedar	Cedar	Cedar
Diameter	<u>10"</u>	<u>8"</u>	<u>8"</u>	<u>10"</u>
Bearing	<u>S30W</u>	<u>S29E</u>	<u>N32E</u>	<u>N74W</u>
Distance	<u>16 LKS</u>	<u>28 LKS</u>	<u>30 LKS</u>	<u>80 LKS</u>

Original Bearing Trees Found

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1937 By GLO
Location filed Sec. of State
Monument End remains of NW, SW & SE BITS set Concrete
Man. 2' long 6" Dia. w/ brass cap T144N R27W
S20/S21
S29/S28

Evidence of Subsequent Corner Restoration

Year of search 1966 By William Okerman
Found GLO monument in good condition.

Bearing Trees, Reference Objects 1937

Species	Bearing Trees, Reference Objects			
	Poplar	Birch	Birch	Tam
Diameter	<u>8"</u>	<u>7"</u>	<u>6"</u>	<u>8"</u>
Bearing	<u>N60 1/2 E</u>	<u>S20 3/4 E</u>	<u>S78 1/4 W</u>	<u>N28 1/2 W</u>
Distance	<u>66 LKS</u>	<u>91 LKS</u>	<u>162 LKS</u>	<u>11 LKS</u>

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>Ash</u>	<u>4"</u>	<u>S30W</u>	<u>23.22'</u>
<u>Ash</u>	<u>6"</u>	<u>S52E</u>	<u>23.22'</u>
<u>Balsam</u>	<u>12"</u>	<u>N61E</u>	<u>44.55'</u>

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
CERTIFICATE - OKERMAN - 1966