


T. 144 R. 29 M. 5th Coordinates: X _____ Y _____
E 1/4 19 Corner common to sections 19, 20



EXISTING SURVEYS

Original Government Survey
 Year surveyed 1873
 Original monument Post

Bearing Trees
 Species Birch Birch
 Diameter 6" 6"
 Bearing S68W N34E
 Distance 31 LKS 36 LKS

Original Evidence Found
 Year of search _____ By _____
 Monument found _____

Original Bearing Trees Found
 Species _____
 Diameter _____
 Bearing _____
 Distance _____

Subsequent Corner Restoration
 Year surveyed 1926 By GLO
 Location filed Sec. of State
 Monument Set 11.36" 1 1/4" w/ brass cap
5/19/520
1926

Evidence of Subsequent Corner Restoration
 Year of search 1965 By William Okerman
found GLO monument in good condition

Bearing Trees, Reference Objects
 Species w/ pipe Maple
 Diameter 6" 12"
 Bearing N61-30E S24-45W
 Distance 38 LKS 67 LKS

Bearing Trees, Reference Objects
 Species Maple Oak
 Diameter 13" 8"
 Bearing N34W N32E
 Distance 36.20' 32.80'

Subsequent Corner Restoration
 Year surveyed _____ By _____
 Location filed _____
 Monument _____

6/02 CCSO
Found GLO brass cap, up 1.3", 97"
SE 1/4 of E Sucker Bay Rd, steel sign
post West 3.0", Cedar sign post
South 1.0"

10" W. Oak N32° E 32.58' to 60d spl
12" Maple S62° E 17.88' to 60d spl
12" Basswood S7° E 23.40' to 60d spl

Evidence of Subsequent Corner Restoration Found
 Year of search _____ By _____
CERTIFICATE - BILL OKERMAN - 1965