

T. 145 R. 30 M. 5th Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

NE 11 Corner common to sections 1, 2, 11, 12



EXISTING SURVEYS

Original Government Survey

Year surveyed 1874  
Original monument Post

Original Evidence Found

Year of search 1933 by GLO  
Monument found Cedar post

Resurvey Notes

Bearing Trees

Species	<u>Tamarack</u>	<u>Birch</u>	<u>Tamarack</u>	<u>Tamarack</u>
Diameter	<u>4"</u>	<u>4"</u>	<u>4"</u>	<u>5"</u>
Bearing	<u>N 32° W</u>	<u>N 70° E</u>	<u>S 80° E</u>	<u>S 45° W</u>
Distance	<u>14 links</u>	<u>5 links</u>	<u>9 links</u>	<u>14 links</u>

Original Bearing Trees Found

Species	<u>Tamarack stump</u>	<u>Tamarack down</u>	<u>Tamarack dead</u>
Diameter	<u>8"</u>	<u>8"</u>	<u>6"</u>
Bearing	<u>S 63° E</u>	<u>S 43° W</u>	<u>N 45° W</u>
Distance	<u>8 links</u>	<u>14 links</u>	<u>14 links</u>

Subsequent Corner Restoration

Year surveyed 1/1930 By R. Willis, CCC  
Location filed: Form 874  
Monument:

Evidence of Subsequent Corner Restoration

Year of search 6/1933 By W.W. Bandy, Surveyor  
Location filed: Resurvey Notes T145N R30W  
Monument: Set 6" concrete cylinder with brass tablet S 2 | S 1  
From remains of original witnesses. S11 | S12  
1933

Bearing Trees, Reference Objects

Species	<u>Tamarack</u>	<u>Tamarack</u>	_____	_____
Diameter	<u>7"(GLO)</u>	<u>5"(GLO)</u>	_____	_____
Bearing	<u>SE</u>	<u>NW</u>	_____	_____
Distance	_____	_____	_____	_____

Bearing Trees, Reference Objects

Species	<u>Cedar</u>	<u>Cedar</u>	<u>Cedar</u>	<u>Tamarack</u>
Diameter	<u>6"</u>	<u>4"</u>	<u>6"</u>	<u>10"</u>
Bearing	<u>N 63° E</u>	<u>S 16 1/2° E</u>	<u>S 45 1/2° W</u>	<u>N 28° W</u>
Distance	<u>17 links</u>	<u>16 links</u>	<u>5 links</u>	<u>32 links</u>

Subsequent Corner Restoration

Year surveyed 5/1966 By J. Ekstrom, USFS  
Location filed: USFS Book 1, page 60  
Monument: Found GLO concrete with brass cap  
lists witnesses.  
10" Cedar, N 63° E, 11.22' (1933)  
9" Cedar, S 16° E, 10.56' (1933)  
7" Cedar, S 45° W, 3.30' (1933)  
7" Cedar, S 81° E, 14.8'  
Steel Sign Post, S 88° W, 8.9'


Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed: \_\_\_\_\_  
Monument: \_\_\_\_\_

Index No. E 21

CASS COUNTY LAND CORNER RECORD

T. 145 R. 30 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
NE 11 Corner common to sections 1, 2, 11, 12



○ = Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed 1874  
Original monument lost

Original Evidence Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

	Bearing	Trees	
Species	<u>Tam</u>	<u>Birch</u>	<u>Tam</u>
Diameter	<u>4"</u>	<u>4"</u>	<u>5"</u>
Bearing	<u>N32W</u>	<u>N70E</u>	<u>S80E</u>
Distance	<u>14LKS</u>	<u>5LKS</u>	<u>9LKS</u>

Original Bearing Trees Found			
Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 1933 By GLO  
Location filed SEC. OF STATE  
Monument End cedar post and remains of SE, SW & NW  
B.T.S - Set concrete man 24" long 6" dia. w/ brass  
cap T145N R30W

	Bearing	Trees, Reference Objects	
Species	<u>Cedar</u>	<u>Cedar</u>	<u>Cedar</u>
Diameter	<u>6"</u>	<u>4"</u>	<u>6"</u>
Bearing	<u>N63E</u>	<u>S16 1/2 E</u>	<u>S45 1/2 W</u>
Distance	<u>17LKS</u>	<u>16LKS</u>	<u>5LKS</u>

Evidence of Subsequent Corner Restoration

Year of search 1966 By William Okerman  
Found GLO monument in good condition.

Bearing Trees, Reference Objects			
Species	<u>Cedar</u>	_____	_____
Diameter	<u>7"</u>	_____	_____
Bearing	<u>S81E</u>	_____	_____
Distance	<u>14.8'</u>	_____	_____

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed \_\_\_\_\_  
Monument \_\_\_\_\_

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
CERTIFICATE - BILL OKERMAN - 1966

Remonumentation certificate prepared \_\_\_\_\_  
Filed at \_\_\_\_\_

By \_\_\_\_\_  
Date \_\_\_\_\_