


T. 145 R. 30 M. 5th Coordinates: X _____ Y _____
E 1/4 31 Corner common to sections 31, 32



EXISTING SURVEYS

Original Government Survey

Year surveyed 1874
Original monument Post

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species	<u>White Pine</u>	<u>White Pine</u>	_____
Diameter	<u>4"</u>	<u>6"</u>	_____
Bearing	<u>N 3° E</u>	<u>N 8° W</u>	_____
Distance	<u>400 links</u>	<u>407 links</u>	_____

Original Bearing Trees Found

Species	_____	_____	_____
Diameter	_____	_____	_____
Bearing	_____	_____	_____
Distance	_____	_____	_____

Subsequent Corner Restoration

Year surveyed 8/1933 By W.W. Bandy, Surveyor, GLO
Location filed: MN Historical Society, Notes pg 78 1/4
Monument: Set 1"x 3' iron pipe with brass cap S 31 | S 32
at proportionate distance, no remaining evidence 1933
of original post or bearing trees, up 9" and
witnessed as follows.

Evidence of Subsequent Corner Restoration

Year of search 5/1966 By J. Ekstrom, USFS
Location filed: USFS Book 2, page 23
Monument: Found GLO brass cap monument
and witnesses as follows.
Poplar, N 49° W, 19.80'(1933) wind fall

Bearing Trees, Reference Objects

Species	<u>Poplar</u>	<u>Poplar</u>	_____
Diameter	<u>5"</u>	<u>6"</u>	_____
Bearing	<u>N 47 1/2° E</u>	<u>N 49° W</u>	_____
Distance	<u>124 links</u>	<u>30 links</u>	_____

Bearing Trees, Reference Objects

Species	<u>Elm</u>	<u>Elm</u>	<u>Steel Sign</u>	_____
Diameter	<u>14"</u>	<u>11"</u>	<u>Post</u>	_____
Bearing	<u>N 57° E</u>	<u>N 87° E</u>	<u>South</u>	_____
Distance	<u>49.9'</u>	<u>22.6'</u>	<u>7.8'</u>	_____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed: _____
Monument: _____


Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed: _____
Monument: _____

Index No. X 5

CASS COUNTY LAND CORNER RECORD

T. 145 R. 30 M. 5TH Coordinates: X _____ Y _____
E 1/4 31 Corner common to sections 31, 32



EXISTING SURVEYS

Original Government Survey
Year surveyed 1874
Original monument lost

Original Evidence Found
Year of search _____ By _____
Monument found _____

Bearing Trees
Species w. pine w. pine
Diameter 4" 6"
Bearing N3E N8W
Distance 400LKS 407LKS

Original Bearing Trees Found
Species _____
Diameter _____
Bearing _____
Distance _____

O = Corner

Subsequent Corner Restoration
Year surveyed 1933 By GLO
Location filed Sec of state
Monument Set 1x36" 1 p. w/ brass cap
114
S 31/532
1933

Evidence of Subsequent Corner Restoration
Year of search 1966 By William Okerman
Found GLO monument in good condition

Bearing Trees, Reference Objects
Species Poplar Poplar
Diameter 5" 6"
Bearing N47 1/2 E N49W
Distance 124LKS 30LKS

Bearing Trees, Reference Objects
Elm Elm
14" 11"
N57E N87E
49.9' 22.6'

Subsequent Corner Restoration
Year surveyed _____ By _____
Location filed _____
Monument _____

Evidence of Subsequent Corner Restoration Found
Year of search _____ By _____
CERTIFICATE - BILL OKERMAN - 1966

Remonumentation certificate prepared _____ By _____
Filed at _____ Date _____