


Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____


Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

T. 145 R. 31 M. 5TH Coordinates: X _____ Y _____
E 1/4 7 Corner common to sections 7, 8



EXISTING SURVEYS

Original Government Survey

Year surveyed 1875

Original monument Post

Species	Bearing	Trees
<u>J. Pine</u>	<u>J. Pine</u>	
<u>6"</u>	<u>5"</u>	
<u>S25W</u>	<u>N21E</u>	
<u>290.45</u>	<u>20 LKS</u>	

Original Evidence Found

Year of search _____ By _____

Monument found _____

Original Bearing Trees Found

Species	Diameter	Bearing	Distance

Subsequent Corner Restoration

Year surveyed 1906 By JOHN CURD

Location filed COUNTY SURVEY RECORD BOOK "A" P. 270-271

Monument FIND BOTH OLD BITS SET STAKE

1912- CURD- BOOK "D" P. 148 FIND NE BIT & SWMPOF NW 1906 BITS

SET NEW MVB.

1912- also on microfilm- roll 115 BK 74 P. 67

Species	Bearing	Trees, Reference Objects
<u>J. PINE</u>	<u>J. PINE</u>	<u>J. PINE</u>
<u>8"</u>	<u>6"</u>	<u>4"</u>
<u>N61-25E</u>	<u>N69-52W</u>	<u>S37-30E</u>
<u>63.70'</u>	<u>44.10'</u>	<u>70.30'</u>
<u>1906 TIES</u>		<u>1912 B.T.</u>

Evidence of Subsequent Corner Restoration

Year of search 1912 By _____

microfilm- roll 115 BK 74 P. 72

also set 5/16

J. Pine stump 12 S27-15E 9.02

" " " 15 N37-52E 38.90'

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance

Subsequent Corner Restoration G 5

Year surveyed 1990 By WALT CURD AND

Location filed CASS Co. Hwy DEPT. SURVEY CREW

Monument SET 2" x 2" x 6" TELESPAR MON/BLUNCH

MARK NEW BITS AS FOLLOWS:

J. PINE	R. OAK	J. PINE	R. OAK
<u>3"</u>	<u>14"</u>	<u>14"</u>	<u>8"</u>
<u>N70W</u>	<u>N50E</u>	<u>EAST</u>	<u>S85W</u>
<u>87.35</u>	<u>99.99</u>	<u>67.35</u>	<u>135.85</u>

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____

cert. BY WALT CURD 1990

Doc. # 325739