

U. S. Department of Agriculture
FOREST SERVICE

N-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R. 26W 4th Mer.

Section Corner common to Sections

15, 16, 21, and 22

Corner consists of a 3" Approx. Post () in place


State condition Good

Dimensions above ground 30 inches


Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

5.15

5.22

B.T.

B.T.

Species Balsam Spruce Cedar Stamp 6" Balsam

Diameter 6" 6"

Bearing N67°E N81°W 53°E

Distance 26 lks 15 lks 60 lks

Do you believe this to be a genuine Land Office Corner? No

If not, why? Records show it was set by

County Surveyor

Arthur T. Johnson

(Signature)

Special Foreman

(Title)


2/2/90

(Date)

N-13

Corner again.

Metal Location Poster is on a tree inches diameter, on the side of from which this Corner bears chains distant. Give any further facts which will aid in finding this Corner again.



(Make sketch of topography near Corner)

T. 27N R. 26W 9th Mer.

U. S. Department of Agriculture

FOREST SERVICE

N-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57 N R. 26 W 4 Mer.

8 Sec.

Corner common to Sections

15, 16, 21, and 22

Corner consists of a iron pipe (not) in place


State condition Wood post decayed & illegible

Dimensions above ground pipe 6 inches


Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species cedar stump N. Pine

Diameter 16" 11"

Bearing N 72° W S 16° W

Distance 6' 26'

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Edgar J. Parker
(Signature)

Tech Foreman
(Title)

Sgt. 19-34
(Date)

N-13

Tail & Horn Stockwells landing
 on North end of Otter lake
 crosses line approx. 65 ft. E
 of east cor.

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 57N R. 26W Mer. 4

U. S. Department of Agriculture

FOREST SERVICE

10-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R. 26W 4th Mer.

Section Corner common to Sections 15, 16, 21, and 22

Corner consists of a 3" Approx. Post (not) in place State condition Good

Dimensions above ground 30 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

5.15

5.22

B.T.

B.T.

Species Balsam Spruce Cedar Stump Balsam

Diameter 6" 6"

Bearing N67°E N81°W 57°E

Distance 261ks 151ks 601ks

Do you believe this to be a genuine Land Office Corner? NO

If not, why? Records show it was set by County surveyor

Arthur J. Johnson

(Signature)

Special Foreman

(Title)

2/2/90 (Date)

N-13

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 37N R. 26W 9th Mer.

Form 874-9—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

N13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R. 26W 4th Mer.

Section Corner common to Sections

15, 16, 21, and 22

Corner consists of a 3" Appra. Post. (not) in place

State condition Good

Dimensions above ground 30 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

3.15	
------	--

--	--

3.22	
------	--

--	--

B.T.

B.T.

--

--

Species Balsam snag Cedar stump Balsam

Diameter 6" 6"

Bearing N67°E N81°W S. 8°E

Distance 36 lks. 15 lks. 60 lks.

Do you believe this to be a genuine Land Office Corner? NO

If not, why? Records show it was set by

County Surveyor.

Arthur J. Johnson

(Signature)

Guard Foreman


(Title)

2/2/90

(Date)

Metal Location Poster is on a tree _____ inches diameter, on the _____ side of _____ from which this Corner bears _____ chains distant.

Give any further facts which will aid in finding this Corner again.



(Make sketch of topography near Corner)

T. 52N R. 26W 9th Mer.