

U. S. Department of Agriculture
FOREST SERVICE

71-7

CHIPPEWA NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57 N R. 26 W 4 th Mer.

Special Meander Corner common to Sections

Corner consists of a 2" Scribed post and 1 1/2" x 3" Iron pipe in place
State condition GOOD

Dimensions above ground 24 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

M.C.			
S 15			

N W S E

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

M. C.
S 12

M. C.
S 12

B. T.

B. T.

Species R. Pine R. Pine

Diameter 12" 10"

Bearing S66°E N79°E

Distance 27 lks 34 lks

Do you believe this to be a genuine Land Office Corner? NO

If not, why? Records show it was set by

County Surveyor.

Arthur Johnson

(Signature)

Squad Foreman

(Title)

11/23/39

(Date)

2-16

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 57 N R. 26 W 4 th Mer.

U. S. Department of Agriculture
FOREST SERVICE

16
2-~~15~~

CHIPPENAW NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57 N R. 26 W 4 th Mer.

Special Meander Corner common to Sections

Corner consists of a 2" x 3" Iron pipe and 15
scribed post in place
State condition Good

Dimensions above ground 24 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

M. O.			
S 15			

N W S E

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

M. C.
S 12

M. C.
S 12

B. T.

B. T.

Species R. Pine R. Pine

Diameter 12" 10"

Bearing S66° E N79° E

Distance 27 lks 34 lks

Do you believe this to be a genuine Land Office Corner? No

If not, why? Records show it was set by
County Surveyor.

Arthur Johnson

(Signature)

Squad Foreman

(Title)

11/23/39

(Date)

91-2

This corner was checked 7/17/52
by O'ville E. Kind and Virginia D. Smith.
The 10" and 12" Red Pine ~~are~~ are 18"
The corner is approx. 1.5 ch. SW
of Dr. Egan's cabin. The stakes
about 4.5' from shore.

Corner again.

Give any further facts which will aid in finding this

chains distant.


27

from which this Corner bears N 80 W

side of five

tree 18" inches diameter, on the NW

Metal Location Poster is on a Red Pine



(Make sketch of topography near Corner)

T. 57 N. R. 26 W. 4th Mer.