

U. S. Department of Agriculture  
FOREST SERVICE

L-17

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R. 26W 4<sup>th</sup> Mer.

14 Corner common to Sections  
\_\_\_\_\_, \_\_\_\_\_, 14, and 15

Corner consists of a 4" ASPEN POST (not) in place  
State condition Good

Dimensions above ground 36" post 6" pipe inches  
Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

	<u>14</u>		<u>14</u>
	<u>C</u>		<u>C</u>
	<u>14</u>		<u>14</u>
N	W	S	E

NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

	<u>S</u>		<u>S</u>
	<u>15</u>		<u>14</u>
	<u>BT</u>		<u>BT</u>

Species N. Pine stump Red oak  
Diameter 14" 13"  
Bearing S. 30° W S. 38° E  
Distance 57 lks. 58 lks. ©

Do you believe this to be a genuine Land Office Corner? YES

If not, why? \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

K. J. P. G.  
(Signature)

7-11-35  
(Date)

(Title)

6-17

6 r o s h

Land rolling

Corner again.

Give any further facts which will aid in finding this


581/2 chains distant.

from which this Corner bears N 38° W

side of tree

tree 13 inches diameter, on the N W

Metal Location Poster is on a Red oak



(Make sketch of topography near Corner)

T. 57 N R. 26 W Mer. 4 = 4

Form 874-9—Revised May, 1918  
U. S. Department of Agriculture  
FOREST SERVICE

L-17

chippe wa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57 N R. 26 W 4<sup>th</sup> Mer.

1/4

Corner common to Sections

14, and 15

Corner consists of a 4" aspen post (not) in place

State condition Good

Dimensions above ground 36" post 6" pipe inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

	<u>1/4</u>		<u>1/4</u>
	<u>C</u>		<u>C</u>
	<u>P</u>		<u>P</u>

N W S E


NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

	<u>S</u>		<u>S</u>
	<u>15</u>		<u>14</u>
	<u>BT</u>		<u>BT</u>

Species N pine stump Red oak

Diameter 14" 13"

Bearing S 30° W S 38° E

Distance 57 lks. 58 lks.

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? \_\_\_\_\_

KIDG  
(Signature)

(Date)

(Title)

L-17

brush

land rolling

Corner again.

Give any further facts which will aid in finding this


581Ks chains distant.

from which this Corner bears N 38° W

side of Little

tree 13 inches diameter, on the NW

Metal Location Poster is on a Red oak



(Make sketch of topography near Corner)

T. 57 N R. 26 W 4th Mer.

U. S. Department of Agriculture  
FOREST SERVICE

L-17

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R. 26W 9th Mer.

1/4 Corner common to Sections  
14, 15, and

Corner consists of a Iron pipe 1/2" (~~rod~~) in place.

State condition good (Scribed wooden stake,  
rotten)

Dimensions above ground 6" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>No bearing trees</u>			

Species \_\_\_\_\_

Diameter \_\_\_\_\_

Bearing \_\_\_\_\_

Distance \_\_\_\_\_

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Amel E. Lind

(Signature)

7/2/20

Ant. Berger

(Date)

(Title)

7-17

Corner again.  
On a Mc" ridge south west  
of a small slough. No distinctive  
features for a landmark.


Give any further facts which will aid in finding this

chains distant.

from which this Corner bears  
N 75° W

side of tree

Metal Location Poster is on a  
tree 6" inches diameter, on the  
East



(Make sketch of topography near Corner)

T. 57N R. 26W 44 PM Mer.

## U. S. Department of Agriculture

## FOREST SERVICE

Chippewa NATIONAL FOREST L17

## CORNERS OF THE PUBLIC SURVEY

T. 57 N R. 26 W 4<sup>th</sup> Mer.

1/4 Corner common to Sections

14, and 15

Corner consists of a 4" ~~sp. n. post~~ (not) in place

State condition 1/2" iron pipe

Dimensions above ground 36" post 6" pipe inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

	1/4		1/4
	C		C
	F		F

N W S E


NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

	S		S
	15		14
	BT		BT

Species N. Pine stump Red oak

Diameter 14" 13"

Bearing S 30° W S 38° E

Distance 57 lks. 58 lks.

Do you believe this to be a genuine Land Office Corner? yes

If not, why? \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

7-11-35 (Date)

KING (Signature)

(Title)

Faint, illegible text on the top section of the page.

Land rolling  
brush

Corner again. Give any further facts which will aid in finding this


58 lks chains distant.

from which this Corner bears N 38° W

side of fence

tree 13 inches diameter, on the NW

Metal Location Poster is on a Red oak



(Make sketch of topography near Corner)

T. 57 N R. 26 W Mer. 4th