

Supervisor's copy

U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST A 21

CORNERS OF THE PUBLIC SURVEY

T. 57 R. 27 4 Mer.
Sec. Corner common to Sections

35, 36, 1, and 2

Corner consists of a 3.5" Tam. (not) in place


State condition Placed Feb. 11, 1937

Dimensions above ground Deep snow 48 inches


Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T57 R27 Sec 1	T57 R27 Sec 2	T58 R27 Sec 36	T58 R27 Sec 35
---------------------	---------------------	----------------------	----------------------

B. T.	B. T.	B. T.	B. T.
-------	-------	-------	-------

Species Tam Bl. Sp. Bl. Sp. Bl. Sp.

Diameter 5" 6" 6" 7"

Bearing S33E S35W N38W N40E

Distance .46ch .69ch .50ch .53ch.

Do you believe this to be a genuine Land Office Corner? No

If not, why? B. T.'s established by county survey.

Ernest C. Entwistle
(Signature)

Feb 11, 1937
(Date)

Jr. Luster P-1.
(Title)

No corner found due to deep snow. Bearings & distances are from BT's stonem. corner set by me. Corner is located in the swamp. Few blazes extend N. from Temp. corner. Should be no trouble to find corner as R&W line is brushed out. Relocate after snow goes down.

Corner again.


Give any further facts which will aid in finding this chains distant.

from which this Corner bears

side of Tree

tree 5 inches diameter, on the SW.

Metal Location Poster is on a Black Spruce



(Make sketch of topography near Corner)

Rangers copy

A-21

Form 874-9—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST



CORNERS OF THE PUBLIC SURVEY

T. 57N R. 27W 4 Mer.
Sec.

35 36 1 2
Corner common to Sections

Corner consists of a 3.5" Tam. (not) in place
State condition Placed Feb. 12, 1937

Dimensions above ground (Deep snow) 48 inches
Sketch grooves, letters, figures, or notches, on proper face or edge.
CARDINAL POSITION DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T57
B27
Sec 1

T57
B27
Sec 2

T58
B27
Sec 36

T58
B27
Sec 35

BT.

BT.

BT.

RT.

Species Tam Bl. Sp. B. Sp. B. Sp.

Diameter 5" 6" 6" 7"

Bearing S33° E S35° W N38° W N40° W

Distance .46ch. .69ch. .50ch. .53ch.

Do you believe this to be a genuine Land Office Corner? NO

If not, why? BT's established by
County survey.

James C. Entwistle
(Signature)

Feb 11, 1937
(Date)


J. J. Foster
(Title)

A-21

Corner again. No corner found due to deep snow. Bearings & distances are from Temp. corner to B.T.'s. Corner is located in 7c swamp. Few old blazes extend N. from Temp. corner. Should be no trouble to find corner when snow goes down as E&W line is brushed out.

Give any further facts which will aid in finding this tree inches diameter, on the side of Free from which this Corner bears chains distant.

Metal Location Poster is on a Black Spruce S.W.



(Make sketch of topography near Corner)

T. 57 & 58 N R. 27 W Mer.

U. S. Department of Agriculture

FOREST SERVICE

A-21

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R. 27W 4 Mer.

35, 36 Sec. Corner common to Sections

35, 36, 1, and 2

Corner consists of a 3.5" Tam. (not) in place


State condition Set Feb 11, 1937 Good

Dimensions above ground 48" (Deep snow) inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T57N R27W Sec. 1

T57NR27W S. 2

T58N R27W S. 36

T58N R27W S35

BT

BT

BT

BT

Species Tam Bl. Sp. Bl. Sp. Bl. Sp.

Diameter 5" 6" 6" 7"

Bearing S33°E S80°W N38°W N40°E

Distance 46ch 69ch 50ch 53ch

Do you believe this to be a genuine Land Office Corner? No

If not, why? County corner BTs. Could not find old corner.

B. Centurion

Feb. 11, 1937 (Date)

(Signature) A. P. I

(Title)

12-A

depth

Corner again.
 No corner found due to deep snow. Bearing
 a distance from P.I.'s. out to camp. Corner
 corner set up by myself. From blower
 is located in 70 ft. from corner.
 extend north from our camp. Corner
 placed in no trouble to find corner.
 when snow to ground as E + W line in
 marked out at the snow used 4'

Give any further facts which will aid in finding this

chains distant.


from which this Corner bears

side of

Tree

tree 5 inches diameter, on the S.W.

Metal Location Poster is on a Black Spruce



(Make sketch of topography near Corner)

Mer.

↖

R. 27W

T. 57N

8211