

**U. S. Department of Agriculture**  
**FOREST SERVICE**

Chippewa NATIONAL FOREST

**CORNERS OF THE PUBLIC SURVEY**

T. 57-58 N. R. 27 W. Mer. 4

East 1/16 Corner common to Sections

1, and 36

Corner consists of a Iron pipe (~~box~~) in place

State condition Buried 3 ft. below surface

Dimensions below ~~above~~ ground 3" x 1 1/2" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

E1/1631 T57R27	E1/1634 T58R27	
BT	BT	

Species N.P. Stump, W.P. Stump

Diameter 30" 36"

Bearing \_\_\_\_\_

Distance \_\_\_\_\_

Do you believe this to be a genuine Land Office Corner? No

If not, why? County notes used by

B. Centerwall to locate corner

on Feb. 9, 1937

*W. Peterson*  
(Signature)

8/25/37  
(Date)

IX. Asst. to Tech.  
(Title)

A-24

Corner is near center of track trail  
Iron post corner is buried


Corner again.

Give any further facts which will aid in finding this  
chains distant.

from which this Corner bears  
side of

tree inches diameter, on the

Metal Location Poster is on ~~R-4 Cedar post~~



(Make sketch of topography near Corner)

*Revised copy*

U. S. Department of Agriculture  
FOREST SERVICE

*24*  
*A-2*

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57N R. 26W. 4 Mer.

E 1/16 Corner common to Sections

1 757 R27, and 36 758 R27

Corner consists of a 3" Aspen (not) in place



State condition Placed Feb 9 1937

Dimensions above ground Possibly 60 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION



DIAGONAL POSITION



Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species W.P. stump W.P. stump

Diameter 30" 36"

Bearing \_\_\_\_\_

Distance \_\_\_\_\_

Do you believe this to be a genuine Land Office Corner? No

If not, why? Did not locate 1/16 corner

*James C. ...*  
(Signature)


Feb 9 1937  
(Date)

*Joe ...*  
(Title)

A-24

Corner should be in T.I. #570  
as one H.T. is on each side of T.I.  
as shown in diagram.

Corner again.  
Give any further facts which will aid in finding this  
chains distant.  
from which this Corner bears  
side of  
tree inches diameter, on the  
Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 57N. R. 27W. Mer.

U. S. Department of Agriculture  
FOREST SERVICE

A-24

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57-58 N R. 27 4 Mer.

E 1/6 Corner common to Sections

1, and 36

Corner consists of a 3" Aspen (not) in place

State condition See I. Ed 9 1937 - good

Dimensions above ground 6 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

--	--	--	--

N W S E

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

E 1/6 S1  
T57 R27

E 1/6 S36  
T58 R27

BT

BT

Species W.P. Spruce W.P. Spruce

Diameter 20" 26"

Bearing \_\_\_\_\_

Distance \_\_\_\_\_

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? County note used

corner not found 3' away, should be

in T.T. 57d

B. Centennial

(Signature)


2/9/37  
(Date)

J. F. O.  
(Title)

A-24

Corner again.  
 Should be east of T. 570  
 on (BT on east end of T)

Metal Location Poster is on a tree inches diameter, on the side of from which this Corner bears chains distant. Give any further facts which will aid in finding this



(Make sketch of topography near Corner)

U. S. Department of Agriculture  
FOREST SERVICE

10-24

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 57-58 N. R. 27 W. Mer. 4

East 1/16 Corner common to Sections  
1, and 36

Corner consists of a Iron pipe (not) in place

State condition buried 3 ft. below surface

Dimensions below ~~above~~ ground 2 x 18 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>E1/16S1</u> <u>T57R27</u>	<u>E1/16S4</u> <u>T58R27</u>		
<u>BT</u>	<u>BT</u>		

Species W.P. Stump W.P. Stump

Diameter 30" 36"

Bearing \_\_\_\_\_

Distance \_\_\_\_\_

Do you believe this to be a genuine Land Office Corner? no

If not, why? county notes used by

A.B. Centerwall to locate corner

on Feb. 9, 1937

Lith W. Peterson  
(Signature)

8/25/37  
(Date)

Jr. Asst. to Tech.  
(Title)

Location poster of each H.P.

Found board stakes 4 - X 36 - 1926

A 24

N 9° 35' E 101.2

N 80° 15' E 63.4

S 9° 35' E 64.5

S 80° 15' E 64.8

Following:  
under the surface - 4 reference points,  
consisting of iron pipes (1/2" x 18") set as  
the corner is buried.

1970. Iron 14

Corner is near center of Truck Trail

Corner again.

Give any further facts which will aid in finding this

chains distant.


see below

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on 2 X 4 Cedar posts



(Make sketch of topography near Corner)