

Form 874-9—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

P 25

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 50N R. 24+25W 9th Mer.

1/4 Corner common to sections

19, and 24

Corner consists of a 4" Iron Pipe (not) in place


State condition Good

Dimensions above ground 8 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E




NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Pine Stump

Diameter _____

Bearing 532° E

Distance 20 lks.

Do you believe this to be a genuine Land Office Corner? NO


If not, why? Records show it was set by

County Surveyor

Arthur J. Johnson (Signature)

Squad Foreman (Title)

2/16/40 (Date)



(Make sketch of topography near Corner)

T. 58 N R. 27+25 W 4th. Mer.

Metal Location Poster is on a tree inches diameter, on the side of from which this Corner bears chains distant. Give any further facts which will aid in finding this Corner again.

This Corner lies 12 chains south of Cutaway Bldg. road 4 in. E of trail to plantation in Sec. 29.

U. S. Department of Agriculture
FOREST SERVICE

P-25

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 58N R24+25W 9th Mer.

1/4 Corner common to Sections
19, and 29

Corner consists of a 1" Iron Pipe (not) in place


State condition Good

Dimensions above ground B inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E




NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Pine Stump

Diameter _____

Bearing S82°E

Distance 20 lks.

Do you believe this to be a genuine Land Office Corner? NO

If not, why? Records show it was set by
County Surveyor

Arthur J. Johnson

(Signature)


Special Foreman

(Title)

2/16/20

(Date)

(Make sketch of topography near Corner)



T. 58N R. 29E 25W 4th Mer.

Metal Location Poster is on a tree inches diameter, on the side of from which this Corner bears chains distant. Give any further facts which will aid in finding this Corner again.

This corner lies 12 chains south of a way hedge road 4 in 8 of trail to plantation in Sec. 27.

U. S. Department of Agriculture
FOREST SERVICE

P-25

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 58N R. 29+25W 4th Mer.

Corner common to Sections
19, and 24

Corner consists of a 1" Iron Pipe () in place

State condition Good

Dimensions above ground 8 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

--	--	--	--

B.T.			
------	--	--	--

Species Pine Stamp _____

Diameter _____

Bearing 332°E _____

Distance 20 lks _____

Do you believe this to be a genuine Land Office Corner? No

If not, why? Records show it was set
by County Surveyor

Richard J. Johnson

(Signature)

Guard Foreman

(Title)

2/16/40
(Date)

This Corner lies 12 chains South
of Road leading to Cutaway Lodge
in Sec. 29.

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 58N R. 29E 25W 9th Mer.