

already
posted

U. S. Department of Agriculture
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 26 Mer. 5th

Sec Corner common to Sections
7, 8, 17, and 18

Corner consists of a _____ (not) in place
State condition _____

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species W. Pine snag

Diameter 14"

Bearing N 5° E

Distance 1.14 chs

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

A. Hanson

(Signature)

10/8/35


(Date)

J-5 (Title)

UNITED STATES FOREST SERVICE
CORNER OF THE FOREST SERVICE

N.F. 8A
Botted away, F.S.P. tree 8/inks
D.B.H. Badly Botted do. of sec
B.I. White pine snag 8' high 14"
Corner again

Give any further facts which will aid in finding this
T. 22 - observe distant
from which this Corner bears
N 30 E
side of Tree
tree 8 inches diameter, on the south
Metal Location Poster is on a Cedar



(Make sketch of topography near Corner)

U. S. Department of Agriculture

FOREST SERVICE

11-19-36
129

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 26 Mer.

Sec. 7, 8, 17, and 18 Corner common to Sections

Corner consists of a (not) in place


State condition

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species W. PINE SNA9

Diameter 7 1/4"

Bearing N. 5° E

Distance 1.14 Chs.

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

H. Hanson


(Signature)

10/8/35 (Date)

(Title)

J-5

(Make sketch of topography near Corner)



Metal Location Poster is on a
 tree 8 inches diameter, on the
 side of trees
 from which this Corner bears
 N 30° E

chains distant.

Give any further facts which will aid in finding this
 Corner again.

B. J. W. FINE SNAG 8' high
 14" DBH. Badly Rotted
 No. 5 Sec. Rotted away
 F.S.L. Pines & LINKS No. 18
 IN BOARD 4c TIMBER TYPE
 SWAMP 2 CHS E of Cor.
 No Stake Found.
 SET 4 Squared Cedar Stake
 For Cor. According To Old
 Field Notes

T. 144 R. 26 Mer.

J-5

U. S. Department of Agriculture

FOREST SERVICE

Missouri NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. 5th Mer.

Sec. Corner common to Sections

7, 8, 17, and 18

Corner consists of a (not) in place


State condition New treated post.

Dimensions above ground inches


Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

Ray W. Lassus

(Signature)


(Date)

(Title)

J-5

Metal Location Poster is on a tree inches diameter, on the side of from which this Corner bears chains distant.

Give any further facts which will aid in finding this Corner again. Recovered and re-marked the original G.L.O. corner. Set treated post $3\frac{1}{2}$ feet high and marked S.C., from which stub of original white pine B.L. bears N. 50° E. 1.17 chains. Set K.L. tags on 17" cedar S. 25° E. 0.12 ch. and on 8" cedar S. 71° W. 0.26 ch. Corner is on high ground in Balsam, Aspen and cedar, but is near the edge of tamarack swamp.



(Make sketch of topography near Corner)

U. S. Department of Agriculture

FOREST SERVICE

J-5

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. 5th Mer.

Sec.

Corner common to Sections

7, 8, 17, and 18.

Corner consists of a (not) in place

State condition New treated post.

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

J. J. Smith

(Signature)

J. J.

(Date)

(Title)

Corner again. Recovered and re-marked the original U.L.O. corner. Set treated post 3 1/2 feet high and corried S.C., iron which end of original white pine S.T. bears N. 52° E. 117.0 chains. Set 1 1/2" tags on 17" cedar S. 25° E. 0.12 ch. and on 8" cedar S. 15° W. 0.26 ch. Corner is on high ground in balsam, sycamore and cedar, but is near the edge of tamarack swamp.

Give any further facts which will aid in finding this corner again.


chains distant.

from which this corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near corner)