

U. S. Department of Agriculture

FOREST SERVICE

2-7

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 145 N. R. 26 W. Mer.

S 1/4 Corner common to Sections

and 32

Corner consists of a (not) in place



State condition New treated post.

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E

NW SW SE NE

Mound of Is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? No

If not, why? F.S. established.


Ray W Jassett (Signature) Sept 1953 (Date)

(Title)

2-7

Corner again. Set treated post at point designated by 1951 survey crew. Post is 4"x3/4" foot high and is scribed "1/4 S 32" F.S.L.P. tag put on 8" tamarack S. 20° W. about 12 foot distant. Post is in a

Give any further facts which will aid in finding this chains distant.
 from which this Corner bears
 side of
 tree inches diameter, on the
 Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 165 N. R. 26 W. Mef. 2-7

U. S. Department of Agriculture

FOREST SERVICE

2-7

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 145 N. R. 26 W. Mer.

8 1/4 Corner common to Sections
, and 32

Corner consists of a (not) in place

State condition New treated post.

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

--	--	--	--

N W S E

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? No

If not, why? F. S. established.

Asset

(Signature)

53

(Date)


(Title)

Corner again. Set treated post at point designated by 1951 survey crew. Post is 7 1/2 feet high and is scribed "1/4 S 32" F.S.L.P. was put on 8" diameter S. 30" W. about 12 feet distant. Post is in a

Give any further facts which will aid in finding this chains distant.

from which this Corner bears side of

tree inches diameter, on the Metal Location Poster is on a



(Adapt sketch of topography near Corner)