

U. S. Department of Agriculture

FOREST SERVICE

J-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 26 5<sup>th</sup> Mer.


Sec. Corner common to Sections 4, 10, 15, and 16

Corner consists of a Squared Stake (not) in place  
State condition \_\_\_\_\_


Dimensions above ground 3 X 3 X 40 inches  
Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E



NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T. 144 N. R. 26 W. S. 10
--------------------------------

T. 144 N. R. 26 W. S. 16
--------------------------------

T. 144 N. R. 26 W. S. 15
--------------------------------

--

B. T.
-------

--

--

--

Species	<u>SPRUCE</u> <u>Stub</u>	<u>SPRUCE</u> <u>Stub</u>	<u>TAM.</u>
Diameter	<u>9"</u>	<u>8"</u>	<u>8"</u>
Bearing	<u>N. 62° E</u>	<u>S. 32 W</u>	<u>S. 59 E</u>
Distance	<u>75 lks.</u>	<u>50 lks.</u>	<u>41 lks.</u>

Do you believe this to be a genuine Land Office Corner? Yes  
If not, why? \_\_\_\_\_

Edward Iverson  
(Signature)

8/15/29.  
(Date)

Estimate  
(Title)

J-13

P

Corner again.

Give any further facts which will aid in finding this


12 1/2 m. chains distant.

from which this corner bears S. 15° W.

side of corner

tree 4 inches diameter, on the North

Metal Location Poster is on a Dead Tree.



(Make sketch of topography near corner)

U. S. Department of Agriculture

FOREST SERVICE

123

J-13

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 26 Mer.

Sec. Corner common to Sections 9, 10, 15, and 16

Corner consists of a sq. stake (not) in place

State condition badly decayed

Dimensions above ground 18 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

--	--	--	--

B.T.		B.T.	
------	--	------	--

Species Tam. snag Tam. snag

Diameter 5 6

Bearing S39°W S58°E

Distance 54 45

Do you believe this to be a genuine Land Office Corner? yes

~~If not, why?~~ Scribing on B.T. unreadable

A. Friesen

(Signature)

10/21/35  
(Date)

J-13

Corner again.

Give any further facts which will aid in finding this

chain distant.

0.13

from which this Corner bears


N. 25° E.

side of

tree 7 inches diameter, on the

Metal Location Poster is on a

1 1/2 m.



(Make sketch of topography near Corner)

U. S. Department of Agriculture

FOREST SERVICE

J-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. 5th Mer.

Sec. Corner common to Sections

9, 10, 15, and 16

Corner consists of a (not) in place

State condition New treated post.

Dimensions above ground inches


Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E




NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species

Diameter

Bearing

Distance

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

Ray W Fassett (Signature) Sept 1953 (Date) (Title)

J-13

Gridlines

Set 7" treated post  $3\frac{1}{2}$  feet high and  
 marked "H". Post is at north edge of  
 a survey. It is an original G.O.L. corner  
 end of marker strip with original scrib-  
 ing bears S. 59 W. 0.57 ch.  
 Corner again. New treated post.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 174 N. R. 26 W.

Mer. T 13

U. S. Department of Agriculture

FOREST SERVICE

J-13

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 N. R. 26 W. 5th Mer.

Sec. \_\_\_\_\_ Corner common to Sections

9, 10, 15, and 16

Corner consists of a \_\_\_\_\_ (not) in place

State condition New treated post.

Dimensions above ground \_\_\_\_\_ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

--	--	--	--

N W S E

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.


Species \_\_\_\_\_

Diameter \_\_\_\_\_

Bearing \_\_\_\_\_

Distance \_\_\_\_\_

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? \_\_\_\_\_

*J. J. J.*


(Signature)

J-3  
(Date)

(Title)

Corner again.  
 Set 7" treated post  $3\frac{1}{2}$  feet high and  
 scribbled "50". Post is at north edge of  
 a swamp. It is an original G.O.P. corner  
 and a landmark stub with original scribb-  
 CORNERS 0'39"  
 THE DEPT'S S. 59 W. 0.5% 00.

Metal Location Poster is on a  
 tree inches diameter, on the  
 side of  
 from which this Corner bears  
 chains distant.  
 Give any further facts which will aid in finding this



(Make sketch of topography near Corner)