

Form 874-B—Revised May, 1918
U. S. Department of Agriculture
FOREST SERVICE

T-9

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147 R. 27 5th Mer.
Quarter


Corner common to Sections
28, and 29

Corner consists of a Iron pipe (~~##~~) in place
State condition good

Dimensions above ground 1"12" inches
Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION


DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species Birch N. Pine
Diameter 6" x 20"
Bearing N14E N79W
Distance .59 .60

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Walter Haberle

(Signature)

12/18/39

(Date)

Leader

(Title)

Corner again.

Give any further facts which will aid in finding this

chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a the bearing trees

<p>Sec. 29</p>	<p>Sec. 28</p>
<p>Sec. 29</p>	<p>Sec. 28</p>

(Make sketch of topography near Corner)

T. 147 R. 27 5th Mer.

U. S. Department of Agriculture
FOREST SERVICE

T 9

Chippewa NATIONAL FOREST
CORNERS OF THE PUBLIC SURVEY

T. 147 R. 27 5th Mer.

1/4 Corner common to Sections
28, and 29

Corner consists of a Brass cap on pipe (not) in place
State condition Good

Dimensions above ground 12 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and
fill blanks below, giving bearings from Corner to Trees and
Distances in Links.

<u>NW</u>	<u>NE</u>		

Species N.P. BirchDiameter 20" 6"Bearing N 79 W N 14 EDistance 58 lks. 56 lks.Do you believe this to be a genuine Land Office Corner? Yes.

If not, why? _____

Jerome P. Honola
(Signature)

5/20/35
(Date)

T. F.
(Title)

Corner again.

Give any further facts which will aid in finding this

chains distant.


from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

Not Posted



(Make sketch of topography near Corner)

T. 149 R. 27 Mer. 5th

U. S. Department of Agriculture
FOREST SERVICE

T-9

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.
Quarter

Corner common to Sections

28, and 29

Corner consists of a Iron pipe (not) in place

State condition good

Dimensions above ground 12 1/2" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S28	T147N R27W S29		
-----	----------------------	--	--

BT	BT		
----	----	--	--

Species Birch N. Pine

Diameter 7" 20"

Bearing N14E N79W

Distance .59 .60

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Walter Habenle

(Signature)

12/18/39

(Date)

Leader

(Title)

Corner again.

Give any further facts which will aid in finding this


chains distant.

from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a The bearing trees



(Make sketch of topography near Corner)

T. 147N R. 27W 5th Mer.