

Form 874-9—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

P-25

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147 R. 27 5th Mer.
 Quarter

Corner common to Sections

24, and 19

Corner consists of a Brass cap on (not) in place

State condition iron pipe

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S19	S24	S24	
BT	BT	BT	

Species Cedar, Cedar Spruce

Diameter 5 5 10

Bearing S74E N61W N68W

Distance 31 16 17

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

Walter Haberle

(Signature)


11/27/39

Leader

(Date)

(Title)

(Make sketch of topography near corner)



Metal Location Poster is on a

The cedar

tree inches diameter, on the Berring trees

side of

from which this Corner bears

chains distant.

Give any further facts which will aid in finding this

Corner again.

U. S. Department of Agriculture
FOREST SERVICE

*Copied
Pastel
5/36*

P25

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147 R. 27, 26 5 Mer.

Corner common to Sections
24 19, and

Corner consists of a daed tam stub 30' high (not) in place
State condition

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? _____

If not, why? _____

(Signature)

(Date)

(Title)

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

65 to N 30 links down

98 to N 65 N 18 links down


Corner again

Give any further facts which will aid in finding this

from which this Corner bears

tree inches diameter, on the

Metal Location Poster is on a



(Make sketch of topography near Corner)

U. S. Department of Agriculture

FOREST SERVICE

Chippewa NATIONAL FOREST

P-15

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

1/4 Corner Corner common to Sections 24, and 19

Corner consists of a Iron Pipe (not) in place



State condition Just Erected

Dimensions above ground 2" x 8" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T. 147
R. 27
S. 19

T. 147
R. 28
S. 24

--

--

B.T.

B.T.

--

--

Species Cedar Cedar

Diameter 6" 6"

Bearing S75E N61W

Distance 51Lks. 17Lks.

Do you believe this to be a genuine Land Office Corner? Yes.

If not, why?

(Signature)

(Date)

(Title)

24

UNITED STATES GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

REPORT OF INVESTIGATION

NO. 100

BY

DATE

SCALE

PROJECT

CORNER AGAIN

GIVE ANY FURTHER FACTS WHICH WILL AID IN FINDING THIS


CHAIN'S DISTANT

FROM WHICH THIS CORNER BEARS

SIDE OF 2.34 2.10

TREE INCHES DIAMETER, ON THE

METAL LOCATION POSTER IS ON A



(Make sketch of topography near corner)

T. 147 R. 27 Mer. 5 24

U. S. Department of Agriculture
FOREST SERVICE

P. 25

~~Chippewa~~ NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147N R. 27W 5th Mer.

1/2 Corner Corner common to Sections
24, and 19

Corner consists of a Iron Pipe (not) in place

State condition Just Erected

Dimensions above ground 8" x 8" inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

	<u>S. 24</u>	<u>S. 19</u>	
	<u>1900</u>		

N W S E

NW SW SE NE

Mound of is located

 Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>T. 147</u>
<u>R. 27</u>
<u>S. 19</u>

<u>T. 147</u>
<u>R. 27</u>
<u>S. 24</u>

<u>B. T.</u>

<u>B. T.</u>

--

--

Species Cedar Cedar

Diameter 8" 8"

Bearing S75E N61E

Distance 51Lks. 17Lks.

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

(Date)

(Signature)


(Title)

704

Faint, illegible text at the top of the page, possibly bleed-through from the reverse side.

Corner again.

Give any further facts which will aid in finding this
chains distant.
from which this Corner bears
side of
tree inches diameter, on the
Metal Location Poster is on a



(Make sketch of topography near Corner)

T. 142 R. 27 Mer. 5 25

U. S. Department of Agriculture
FOREST SERVICE

P-25

NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147 R. 27 S. 5 Mer.

1/4 Corner Corner common to Sections

24, and 19

Corner consists of a Iron Pipe in place



State condition Good

Dimensions above ground 28 inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

T 147
R 27
S 19

T 147
R 28

[Blank box]

[Blank box]

BT

BT

[Blank box]

[Blank box]

Species Cedar Cedar

Diameter 6" 6"

Bearing S 75 E N 65 W

Distance 31 17

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

(Signature)

(Date)


(Title)

24

Lined writing area with horizontal dashed lines.

Corner again.

Give any further facts which will aid in finding this
chains distant,
from which this Corner bears
side of
tree inches diameter, on the
Metal Location Poster is on a



(Make sketch of topography near Corner)

Form 874-9—Revised May, 1918
 U. S. Department of Agriculture
 FOREST SERVICE

P-75

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 147 R. 27 5th Mer.

Quarter

Corner common to Sections

24, and 19

Corner consists of a Brass cap (not) in place

State condition on iron pipe

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

S19	S24	S24	
-----	-----	-----	--

BT	BT	BT	
----	----	----	--

Species Ceder Ceder Spruce

Diameter 5 5 10

Bearing S74E N61W N68W

Distance 31 16 17

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

Walter Haberle

(Signature)

11/27/39

(Date)

Leader

(Title)

Corner again.

Give any further facts which will aid in finding this

chains distant.


from which this Corner bears

side of

tree inches diameter, on the

Metal Location Poster is on a

The cedar
Berring trees



(Make sketch of topography near Corner)

T. 147 R. 27 5th Mer.