

Form 874-0—Revised May, 1918  
 U. S. Department of Agriculture  
 FOREST SERVICE

J23

Posted

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 148N R. 28W 5th Mer.  
 Quarter Corner common to Sections

12., and 13.

Corner consists of a Iron Pipe (not) in place

State condition Covered up

Dimensions above ground inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of is located

Pits are located

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

---
-----

1/4 S 13
-------------

--

--

B.T
-----

B.T
-----

--

--

Species W. Pine Cedar

Diameter Stump 8"

Bearing N 40°E S 54°W

Distance 0.99 ch. 0.96 chains.

Do you believe this to be a genuine Land Office Corner? Yes

If not, why?

*A. H. Jager*  
 (Signature)

4/15/35  
 (Date)

Chief of party.  
 (Title)


J-23

of the corner found.  
There is a fence corner 27 links East  
Corner again.

Give any further facts which will aid in finding this  
O. 27 chains distant.

from which this Corner bears  
West  
side of post

tree inches diameter, on the  
West  
Metal Location Poster is on a Fence Post.



(Make sketch of topography near Corner)

U. S. Department of Agriculture  
FOREST SERVICE

J-23

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 148N R. 28W 5<sup>th</sup> Mer.

$\frac{1}{4}$  Corner common to Sections  
12, and 13

Corner consists of a Iron Pipe (not) in place  
State condition Covered up

Dimensions above ground \_\_\_\_\_ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

	$\frac{1}{4}$ 513		
BT	BT		

Species W. Pine Cedar

Diameter STUMP 8"

Bearing N40 E 55 40 N

Distance 99 96

Do you believe this to be a genuine Land Office Corner? yes

If not, why? \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

4/15/35

(Date)


(Signature)

(Title)

571

Faint, illegible text at the top of the page, possibly bleed-through from the reverse side.

Corner again.  
Give any further facts which will aid in finding this  
chains distant.  
From which this Corner bears  
side of  
tree inches diameter, on the  
Metal Location Poster is on a



(Make sketch of topography near Corner)

T. L. HAN R. 280  
5-14 Mer.

Form 874-0—Revised May, 1918  
 U. S. Department of Agriculture  
 FOREST SERVICE

J-23

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 148N R. 28W 5<sup>th</sup> Mer.

$\frac{1}{4}$  Corner common to Sections

12, and 13

Corner consists of a Iron Pipe (not) in place

State condition Covered up

Dimensions above ground \_\_\_\_\_ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

	1/4 513		
BT	BT		

Species W. PINE

Diameter STUMP 8"

Bearing N40 E 55 W

Distance 99 96

Do you believe this to be a genuine Land Office Corner? yes

If not, why? \_\_\_\_\_

(Signature)

4/15/35


(Date)

(Title)

57

Metal Location Poster is on a tree \_\_\_\_\_ inches diameter, on the \_\_\_\_\_ side of \_\_\_\_\_ from which this Corner bears \_\_\_\_\_ chains distant.

Give any further facts which will aid in finding this Corner again.



(Make sketch of topography near Corner)

T. L. HAN R. 28 W. 5-44 Mer.

Form 874-B—Revised May, 1918  
 U. S. Department of Agriculture  
 FOREST SERVICE

J-23

Chippewa Agency NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 118.4 R. 28.4 S. 1<sup>st</sup> Mer.

Corner common to Sections 12, 13, and

Corner consists of a IRON PIPE (not) in place

State condition COVERED UP

Dimensions above ground \_\_\_\_\_ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

N W S E

--	--	--	--

NW SW SE NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

	1/4 S 13		
BT	BT		

Species W. Pine Cedar

Diameter STUMP 8"

Bearing N 40° E 55 1/2 W

Distance 99 1/2 links 96 1/2 links

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? \_\_\_\_\_

*A. J. Jones*

(Signature)

4/15/1918  
 (Date)

*Chief of Party*  
 (Title)

Approx. a fence corner  
27 LINKS EAST of corner

Corner again.

Give any further facts which will aid in finding this

27 LINKS ~~east~~ distant.

From which this Corner bears

WEST

side of


POST

tree inches diameter, on the

WEST

Metal Location Poster is on a

Fence Post



(Make sketch of topography near Corner)

T. J. H. & N. R. 28 W. 5TH Mer.