


C23 posted

Section Corners

sec 1 P

149 2 25 5 P.M.



Corner 25

Post

Height 2 1/2

Dia 2"

Material Cement

of sec 1

~~Section~~

NONE

~~Area~~

~~Species~~

~~Material~~

~~Setting~~

~~District~~

Chimena

~~Total posts~~

Balsa 5" 17mm

~~Location~~

Metal post on
1/4 Line 10.88 chs. East
on the East side of log
Road

JAN 10

T.W. Johnson

1934

U. S. Department of Agriculture

FOREST SERVICE

C-23

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 149 R. 28 5th Mer.

Cor. 1/4 Corner common to Sections

-----, -----, 1, and -----

Corner consists of a Post (not) in place


State condition -----

Dimensions above ground 2 1/2" H. 2" Dia. inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E




NW SW SE NE

Mound of ----- is located -----

Pits are located -----

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.



Species -----

Diameter -----

Bearing -----

Distance -----

Do you believe this to be a genuine Land Office Corner? -----

If not, why? -----

L. H. Johnson

(Signature)

Surveyor

(Title)

1-10-34

(Date)

C-23

Corner again.

Give any further facts which will aid in finding this

chains distant.

1888

from which this Corner bears


side of 407 Road

tree inches diameter, on the

Yelline East.

Metal Location Poster is on a

Balsam 5' dia.



(Make sketch of topography near Corner)

T. 149 R. 28 Mer. 5