

U. S. Department of Agriculture
FOREST SERVICEChippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 150 N R. 26 W 54 Mer.1/4 Corner common to Sections14, and 23Corner consists of a Wooden Stake (not) in placeState condition good

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

<u>1/4</u>		<u>1/4</u>	
<u>3</u>		<u>5</u>	
<u>14</u>		<u>23</u>	
N	W	E	

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>1/4</u>	<u>1/4</u>		
<u>823</u>	<u>S 1/4</u>		
<u>BT</u>	<u>BT</u>		

Species Cedar AshDiameter 12" 8"Bearing S 6 1/2° W N 53 1/2° EDistance 82 lks 65 lks

Do you believe this to be a genuine Land Office Corner? _____

If not, why? _____

Resurvey by county engineerR. G. Johnson

(Signature)

Foreman C. M. CV 7

(Title)

7/17/27
(Date)

located on low ground & ground level

Corner again.

Give any further facts which will aid in finding this

chains distant.

82

M 65.5

from which this Corner bears


True

side of

tree 12 inches diameter, on the *NE*

Metal Location Poster is on a

coll.



(Make sketch of topography near Corner)

*East
K&K*

U. S. Department of Agriculture

FOREST SERVICE

N-19

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 150N R. 26W 5th Mer.

1/4

Corner common to Sections

14, and 23

Corner consists of a Wooden Stake (not) in place

State condition Good

Dimensions above ground _____ inches

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

<u>1/4</u>		<u>1/4</u>	
<u>5</u>		<u>5</u>	
<u>14</u>		<u>23</u>	
N	W	S	E

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>1/4</u>	<u>1/4</u>		
<u>S 23</u>	<u>S 14</u>		
<u>B.T.</u>	<u>B.T.</u>		

Species Cedar Ash

Diameter 12" 8"

Bearing S 6 1/2 W N 53 1/2 E

Distance .82 ch .65 ch

Do you believe this to be a genuine Land Office Corner? _____

If not, why? _____

Resurveyed by County
engineer

Ralph R. Johnson
(Signature)

July 17, 1935
(Date)

Foreman C&M, Cui-7
(Title)


N-19

Corner again.
Corner located on low
ground and on proposed
road center line.

Give any further facts which will aid in finding this
chain distant.
from which this Corner bears
side of Tree
tree 12 inches diameter, on the
Metal Location Poster is on a Cedar

N 6 1/2° E

NE



(Make sketch of topography near Corner)

T. 150N R. 26W 5th Mer.