

FIELD BOOK  
T 58N<sup>of</sup> R 27W


DIEZGEN  
MINING

TRANSIT BOOK



No. 422E

CCC 47

Township	Range	Section	Mer.	Page
58N	27W	1	4	1
		2		2
		3		3
		4		4
		9		5
		10		6
		11		7
		12		8
		13		9
		14		10
		15		11
		16		12



Sec. 1 T58N R27W





Sec 4 T58N R27W

33 33.54  
4 4.5  
15.52

19.11  
19.1  
20.9  
20



5.00  
16.10

15.90  
4 4.3  
9 9.0

Cor	Bearing Trce			Cor	Bearing Trce		
	Spec	D&A	Bearing Dist		Spec	D&A	Bearing Dist

4.50  
19.11  
19.1  
20.9  
20

7.6 x




Bearing Traces  
 Cor. Sec. Dist. Bearing Dist.  
 S10 Elm 8° N 25W 0.50  
 T58 Birch 19° S 25W 0.66

Bloc N 90  
Drainage Ditch N 11 1/2 E

90  
-53  
37

52 1/2 37 1/2

7



Run N 37° W

Turn RT Angle from 20 ch road to run

At 20 ch west Ditch  
EW point line bearing is  
N 53° E

9.2  
12  
184  
92  
1104

166  
140  
96

23+57 to 10 N. S line

22  
20  
18  
16  
14  
12  
10  
8  
6  
4  
2  
0