


MINING
JOURNAL BOOK

ccc 56



DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING.

SLOPE 1½ TO 1. ROADWAY OF ANY WIDTH.

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0.00	0.15	0.30	0.45	0.60	0.75	0.90	1.05	1.20	1.35	0
1	1.50	1.65	1.80	1.95	2.10	2.25	2.40	2.55	2.70	2.85	1
2	3.00	3.15	3.30	3.45	3.60	3.75	3.90	4.05	4.20	4.35	2
3	4.50	4.65	4.80	4.95	5.10	5.25	5.40	5.55	5.70	5.85	3
4	6.00	6.15	6.30	6.45	6.60	6.75	6.90	7.05	7.20	7.35	4
5	7.50	7.65	7.80	7.95	8.10	8.25	8.40	8.55	8.70	8.85	5
6	9.00	9.15	9.30	9.45	9.60	9.75	9.90	10.05	10.20	10.35	6
7	10.50	10.65	10.80	10.95	11.10	11.25	11.40	11.55	11.70	11.85	7
8	12.00	12.15	12.30	12.45	12.60	12.75	12.90	13.05	13.20	13.35	8
9	13.50	13.65	13.80	13.95	14.10	14.25	14.40	14.55	14.70	14.85	9
10	15.00	15.15	15.30	15.45	15.60	15.75	15.90	16.05	16.20	16.35	10
11	16.50	16.65	16.80	16.95	17.10	17.25	17.40	17.55	17.70	17.85	11
12	18.00	18.15	18.30	18.45	18.60	18.75	18.90	19.05	19.20	19.35	12
13	19.50	19.65	19.80	19.95	20.10	20.25	20.40	20.55	20.70	20.85	13
14	21.00	21.15	21.30	21.45	21.60	21.75	21.90	22.05	22.20	22.35	14
15	22.50	22.65	22.80	22.95	23.10	23.25	23.40	23.55	23.70	23.85	15
16	24.00	24.15	24.30	24.45	24.60	24.75	24.90	25.05	25.20	25.35	16
17	25.50	25.65	25.80	25.95	26.10	26.25	26.40	26.55	26.70	26.85	17
18	27.00	27.15	27.30	27.45	27.60	27.75	27.90	28.05	28.20	28.35	18
19	28.50	28.65	28.80	28.95	29.10	29.25	29.40	29.55	29.70	29.85	19
20	30.00	30.15	30.30	30.45	30.60	30.75	30.90	31.05	31.20	31.35	20
21	31.50	31.65	31.80	31.95	32.10	32.25	32.40	32.55	32.70	32.85	21
22	33.00	33.15	33.30	33.45	33.60	33.75	33.90	34.05	34.20	34.35	22
23	34.50	34.65	34.80	34.95	35.10	35.25	35.40	35.55	35.70	35.85	23
24	36.00	36.15	36.30	36.45	36.60	36.75	36.90	37.05	37.20	37.35	24
25	37.50	37.65	37.80	37.95	38.10	38.25	38.40	38.55	38.70	38.85	25
26	39.00	39.15	39.30	39.45	39.60	39.75	39.90	40.05	40.20	40.35	26
27	40.50	40.65	40.80	40.95	41.10	41.25	41.40	41.55	41.70	41.85	27
28	42.00	42.15	42.30	42.45	42.60	42.75	42.90	43.05	43.20	43.35	28
29	43.50	43.65	43.80	43.95	44.10	44.25	44.40	44.55	44.70	44.85	29
30	45.00	45.15	45.30	45.45	45.60	45.75	45.90	46.05	46.20	46.35	30
31	46.50	46.65	46.80	46.95	47.10	47.25	47.40	47.55	47.70	47.85	31
32	48.00	48.15	48.30	48.45	48.60	48.75	48.90	49.05	49.20	49.35	32
33	49.50	49.65	49.80	49.95	50.10	50.25	50.40	50.55	50.70	50.85	33
34	51.00	51.15	51.30	51.45	51.60	51.75	51.90	52.05	52.20	52.35	34
35	52.50	52.65	52.80	52.95	53.10	53.25	53.40	53.55	53.70	53.85	35
36	54.00	54.15	54.30	54.45	54.60	54.75	54.90	55.05	55.20	55.35	36
37	55.50	55.65	55.80	55.95	56.10	56.25	56.40	56.55	56.70	56.85	37
38	57.00	57.15	57.30	57.45	57.60	57.75	57.90	58.05	58.20	58.35	38
39	58.50	58.65	58.80	58.95	59.10	59.25	59.40	59.55	59.70	59.85	39
40	60.00	60.15	60.30	60.45	60.60	60.75	60.90	61.05	61.20	61.35	40
41	61.50	61.65	61.80	61.95	62.10	62.25	62.40	62.55	62.70	62.85	41
42	63.00	63.15	63.30	63.45	63.60	63.75	63.90	64.05	64.20	64.35	42
43	64.50	64.65	64.80	64.95	65.10	65.25	65.40	65.55	65.70	65.85	43
44	66.00	66.15	66.30	66.45	66.60	66.75	66.90	67.05	67.20	67.35	44
45	67.50	67.65	67.80	67.95	68.10	68.25	68.40	68.55	68.70	68.85	45
46	69.00	69.15	69.30	69.45	69.60	69.75	69.90	70.05	70.20	70.35	46
47	70.50	70.65	70.80	70.95	71.10	71.25	71.40	71.55	71.70	71.85	47
48	72.00	72.15	72.30	72.45	72.60	72.75	72.90	73.05	73.20	73.35	48
49	73.50	73.65	73.80	73.95	74.10	74.25	74.40	74.55	74.70	74.85	49
50	75.00	75.15	75.30	75.45	75.60	75.75	75.90	76.05	76.20	76.35	50

PLANTATION
TRAVERSE
DAY LAKE CAMP
INDEX

PAGE 1 - TRAVERSE

PLANTATION NO. 13

SPRING 1936

PAGE 13 - CORNER POST AND
COUNTING PLOT TIE INS. P#13

PAGE 15 - TRAVERSE

PLANTATION NO. 14

SPRING 1936

PAGE 20 - CORNER POST AND COUNTING
PLOT TIE INS. P#14

PAGE 22 - TRAVERSE NOTES AND
CORNER POST AND COUNTING PLOT
TIE INS. P#15 SPRING 1936

FALL OF 1936

PLANTATIONS

PAGE 23 TRAVERSE NOTES

PLANTATION 17 FALL 1936

PAGE 32 CORNER POST AND COUNT-
ING PLOT TIE INS. P#17

PAGE 34 TRAVERSE NOTE

PLANTATION 18 FALL 1936

PAGE 44 PLANTATION POST AND
COUNTING PLOT TIE INS.

PLANTATION 18

PAGE 46 TRAVERSE NOTES

PLANTATION 19 FALL 1936

PAGE 48 PLANTATION POST AND
COUNTING PLOT TIE INS.

PLANTATION 19

PAGE 49 TRAVERSE NOTE

PLANTATION 16 FALL 1936

PAGE 52 PLANTATION POST
AND COUNTING PLOT TIE INS.
PLANTATION 16

POINT.	BEARING	DIST.	STAT.	OUTSIDE TYPE	REMARKS
P.I.	DUE W	6+00	6+00	AB	
PI	S 30° W	1+25	7+25	"	
PI	S 72° W	2+22	9+47	"	
PI	S 56° 30' W	2+59	12+06	"	
PI	S 77° 30' W	1+31	13+37	"	
PI	S 19° 30' W	2+13	15+50	"	
PI	S 55° W	1+65	17+15	"	
PI	S 50° W	3+22	20+37	"	
PI	S 8° W	2+27	22+64	"	
PI	S 21° 30' E	2+11	24+75	"	
PI	S 80° W	2+35	27+10	"	
PI	S 15° W	1+31	28+41	"	
PI	S 62° W	1+62	30+03	"	
PI	S 35° W	2+32	32+35	"	
PI	S 76° W	2+72	35+07	"	
PI	N 83° W	3+10	38+17	"	
PI	N 89° W	2+83	41+00	"	
PI	N 61° 30' W	2+83	43+83	"	
PI	S 76° W	1+31	45+14	"	
PI	S 6° E	2+64	47+78	"	
PI	N 80° E	2+36	50+14	"	
PI	S 57° E	2+68	52+82	"	
PI	N 83° E	2+24	55+06	"	
PI	S 4° W	2+18	57+24	"	
PI	S 56° W	1+87	59+11	"	
PI	S 46° 30' W	1+61	60+72	"	

REMARKS PLANTATION #13 1
 SPRING-36
 5/26/36
 BEGINNING AT
 INTERSECTION-ROADS PANEK π
 4.3 WHICH IS THE SEC.
 COR. 9+70 147 W. R 25 W WILLIAMS F.CH.
 5TH. P.M. - RAN FLENNER R.CH.
 WEST ON SEC. LINE
 BETWEEN Sec. 9 & 4 EQUIPMENT
 TO A POINT 6700
 CHAINS W. OF SEC. 2 CHAIN-STAPE
 132'
 COR. TO START OF 1 STAFF COMPASS
 PLANTATION.
 THENCE.

0° DECL. USED

POINT	BERR- ING	DIST.	STAT.	OUTSIDE TYPE	REMARKS
PI	S 75° W	1+78	62+50	Ab	
PI	S 37° W	1+40	63+90	"	
PI	S 50° W	1+96	66+86	"	
PI	S 11½° E	0+71	67+57	"	
PI	S 78° W	1+96	69+53	"	CROSS F.W.
PI	S 77° W	2+99	72+52	"	
PI	S 48° W	1+31	73+83	"	
PI	S 80½° W	1+71	75+54	"	
PI	N 68° W	1+70	77+24	"	
PI	N 29° W	2+93	80+17	"	
PI	N 7° W	3+80	83+97	"	
PI	N 76½° W	1+45	85+42	"	
PI	N 55½° W	2+38	87+80	"	
PI	N 19° W	1+31	89+11	"	
PI	N 18½° W	1+60	90+71	"	
PI	N 26° W	2+31	93+02	Tb	
PI	N 56° E	2+53	95+57	"	
PI	N 56½° E	2+94	98+51	"	
PI	N 20° E	2+88	101+39	1	
PI	N 31½° E	1+32	102+71	Tb	CROSS F.W.
PI	N 84° E	2+67	105+38	0	
PI	N 64° E	5+70	111+08	0	
PI	N 87° E	1+12	112+20	0	
PI	N 88½° E	2+91	115+11	0	
PI	N 73° E	2+54	117+65	0	
PI	N 73½° E	3+15	120+80	0	

PLANTATION #13 2
CONT.

REMARKS

POINT	BEARING	DIST	STAT.	OUT SIDE TYPE	REMARKS
PI	N25°E	2+93	123+73	0	
PI	N81°W	2+87	126+60	0	
PI	N15°W	1+60	128+20	Ab	
PI	DUE E	21+35	149+55	5b	CLOSE
PI	S59°W	3+18	3+18	0	
PI	S35°W	3+61	6+79	0	
PI	S87°W	2+41	9+20	7b	
PI	S82°W	2+59	11+79	"	
PI	S89°W	1+94	13+73	1s	
PI	N48°E	1+49	15+22	1s	
PI	N39°E	1+77	16+99	1s	
PI	N52°E	1+65	18+64	1s	
PI	N65°W	3+32	21+96	1s	
PI	N74°W	+89	22+85	Ab	CROSSED SEC. LINE BET.
PI	N32°E	1+61	24+46	Ab	1/4 COR. HIT N. BOWSTRING ROAD.
PI	DUE E	10+91	35+37	5b	
PI	DUES	1+41	36+78	5b	TO 1/4 COR. BET. SEC. 4 AND 9.

STARTING AT A
POINT 00+97 CH. S.
OF 1/4 COR. BETWEEN
SEC. 4 AND 9 - T147H
R2 SW-5th P.M. THENCE
0° DECL. USED

SEC. 4 & 9 - 1206. W. OF
TO 1/4 COR.
BET. SEC. 4 AND 9.

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS
P.I	S77 $\frac{1}{2}$ °W	2+55	2+55	Ab	
PI	S65°W	1+01	3+56	"	
PI	S18°E	00+46	4+02	"	
P.I.	S55 $\frac{1}{2}$ °W	1+24	5+26	"	CROSS TRAIL START OF CP
PI	S36 $\frac{1}{2}$ °W	1+37	6+63	"	
PI	S17°E	2+17	8+80	"	
PI	S10°E	2+33	11+13	"	
PI	S88°W	2+40	13+53	"	
PI	S85°W	1+14	14+67	"	
PI	S3°W	00+78	15+45	"	
PI	N71°W	1+53	16+98	Ab	
PI	N8°W	00+82	17+80	Ab	
PI	N70 $\frac{1}{2}$ °W	00+98	19+72	"	
PI	N38°W	2+03	21+75		
PI	S76°W	00+85	22+60	Ab	
PI	S89°W	1+13	23+73	"	
PI	N46°W	00+98	24+71	"	
PI	N41°E	1+57	26+28	"	
PI	N37°W	1+90	28+18	"	
PI	N6 $\frac{1}{2}$ °W	00+87	29+05	Ab	
PI	N65°E	1+30	30+35	5c	
PI	S66 $\frac{1}{2}$ °E	00+94	31+29	"	
PI	S27°E	1+53	32+82	5c	
PI	N66°E	00+82	33+64	5c	
PI	N26 $\frac{1}{2}$ °E	00+85	34+49	5c	
PI	N48°E	1+71	36+20	5c	

REMARKS.
 STARTING AT THE
 $\frac{1}{4}$ COR. BETWEEN SEC.
 3 AND 4-T/47N, R25W
 574 P.M. THENCE N.
 8+39 Ch. to BEGINNING
 OF PLANTATION.
 THENCE.
 0° DECL. USED

PLANTATION #13
 CONT. 4
 5/28/36
 PANEK T
 WILLIAMS F.Ch.
 FLENNER R.Ch.
 EQUIP.
 2 Ch. TAPE
 132'
 STAFF COMPASS

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS
PI	N31½°E	00+78	36+98	5c	HIT TRAIL
PI	S61°E	1+21	37+19	5c	FOLLOW TRAIL
PI	N19°E	1+55	38+74	5c	CROSS TRAIL
PI	N10°W	1+55	40+29	5c	
PI	N25°E	1+14	41+43	"	
PI	N78°E	1+01	42+44	5c	
PI	S43°E	1+74	44+18	"	
PI	N73°E	1+30	45+48	"	
PI	N35°E	00+90	46+38	"	
PI	N14°W	2+52	48+90	"	
PI	N77°E	2+07	50+97	AC	
PI	S33°E	2+37	53+34	AB	
PI	DUES	4+95	59+29	AB	ALONG ROAD TIE IN.

REMARKS

CONT.

PI	S77½°W	2+51	2+51	AC	
PI	S43½°W	2+43	4+94	5b	
PI	N77°W	1+41	6+35	5b	
PI	N48°W	2+35	8+70	"	
PI	N10°E	1+73	10+43	"	
PI	N90°W	1+17	11+60	5b/5a	
PI	N46°E	1+31	12+91	5b/5a	
PI	N23°W	00+82	13+72	"	
PI	N33°E	1+21	14+94	"	
PI	N2°W	1+87	16+81	5b	

STARTING AT A
POINT 19+98 CH.
N. OF 1/4 COR. SEC.
374 - T142N - R25W
S. 1/4 P.M. THENCE

0° DECL. USED

POINT	BEARING	DIST.	STAT.	OUT SIDE TYPE	REMARKS
PI	S78°E	1+76	18+57	5b	
PI	S59°E	2+28	20+85	5b	
PI	S66°E	1+64	22+49	5b	
PI	N5°W	3+04	25+53	5b	
PI	N81°W	2+13	27+66	5b	
PI	N7½°W	3+11	30+77	5b	
PI	N12°E	1+57	32+89	Ab	
PI	N89°E	1+53	33+87	Ab	
PI	S16°E	3+14	37+01	Ab	CROSS T.T. 511
PI	S66°E	3+48	40+49	Ab	
PI	S79°E	1+08	41+57	"	
PI	S36°E	1+09	42+66	"	
PI	S87°W	1+01	43+67	"	
PI	S22°W	1+51	45+18	Ab	
PI	S22½°W	2+04	47+22	"	
PI	S28°E	1+29	48+51	"	
PI	S51°E	1+27	49+78	"	
PI	S25°W	1+73	51+51	"	
PI	S42°W	00+73	52+24	"	
PI	S21°W	1+91	54+15	"	
PI	S67°W	1+41	55+56	"	
PI	N71°W	00+57	56+13	Ab	CLOSE.

REMARKS

PLANTATION #13 6

CONT.

POINT	BEARING	DIST.	STAT.	OUT SIDE TYPE	REMARKS
PI	N74°E	1+98	1+98	Ab 5b	
PI	N22 ¹⁰ / ₂ E	00+86	2+84	"	
PI	S65 ¹⁰ / ₂ E	1+39	4+23	Ab	
PI	S3°W	2+39	6+62	"	
PI	S44°E	2+04	8+66	"	
PI	N1 ¹ / ₂ °E	1+64	10+30	"	
PI	S86°E	1+11	11+41	"	
PI	DUE E	2+80	14+20	"	
PI	N34 ¹⁰ / ₂ E	1+43	15+63	"	
PI	N62°E	2+99	18+62	"	
PI	N33°E	2+09	20+71	"	
PI	N17°E	1+17	21+88	"	
PI	S51°E	1+92	23+80	5c	
PI	N38°E	2+37	26+17	5c	
PI	S89°E	00+82	26+99	5c	
PI	S53°E	1+94	28+93	Ab	
PI	S60°E	2+62	31+55	"	
PI	S33°W	3+67	35+22	"	
PI	S81°W	1+29	36+51	"	
PI	N59°W	1+63	37+14	"	
PI	S72 ¹⁰ / ₂ W	2+69	39+83	"	
PI	S56°W	3+02	42+85	"	
PI	S77 ¹⁰ / ₂ W	1+84	44+69	"	
PI	S61°W	1+68	46+37	"	
PI	S8°W	1+56	47+93	"	
PI	S63°W	1+86	49+79	"	

REMARKS

STARTING AT A
POINT ON THE
NS 1/4 LINE
27+49 CH. S. OF THE
1/4 COR. BETWEEN
SEC. 4-147N25 AND
SEC. 33-148-25-5TH
R.M. THENCE

0° DECL. USED

PLANTATION #137
CONT.

5/29/36

PANEK T

WILLIAMS FCh.

FLENNER R. Ch.

EQUIP.

2 CHAIN. TAPE
132'

STAFF COMPASS

POINT	BEARING	DIST.	STAT.	TYPE OUTSIDE	REMARKS
PI	S 18 $\frac{1}{2}$ °W	1+63	51+42	AB	
PI	N 46°W	2+47	53+89	"	
PI	S 32°W	1+38	55+27	"	
PI	N 48°W	2+71	57+98	"	
PI	N 70°W	2+95	60+93	"	
PI	S 88°W	2+38	62+11	"	
PI	N 56°W	2+59	64+70	5c	
PI	N 90°W	2+62	65+32	5c/5b	
PI	N 77°W	1+37	66+69	5c/5b	
PI	N 5°E	1+76	68+45	"	
PI	N 50°E	1+69	70+14	5c	
PI	S 50°E	2+34	72+38	"	
PI	S 69°E	2+69	75+07	"	
PI	N 61°E	1+53	76+60	"	END TRAIL
PI	N 64°E	1+44	1+44	5b	
PI	S 45°E	1+85	3+29	5b	
PI	N 74°E	3+17	6+46	"	
PI	S 81°E	3+23	9+69	"	
PI	S 11°E	1+83	11+52	"	
PI	S 43°W	3+27	14+79	"	
PI	S 27°W	00+44	15+23	"	HIT TRAIL

PLANTATION #
138
CONT.

REMARKS

STARTING AT 1/4
COR. BETWEEN SECA
147-25 AND SEC.
33 148-25-5TH.
P.M. RAN W. 20+00
CH. THENCE S.
8+81 CH. TO
BEGIN. OF PLANT-
ATION THENCE

POINT	BEAR- ING	DIST.	STAT.	OUT SIDE TYPE	REMARKS
PI	N86°W	2+36	17+59	AB	
PI	N64°W	3+37	20+96	"	
PI	N82°W	1+60	22+56	"	
PI	N5°W	3+44	26+00	5C	END. OF TRAVERSE

REMARKS

PLANTATION #139
CONT.

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS
PI	N48°E	00+91	0+91	0	
PI	S28½°E	1+72	2+63	1	
PI	S8½°W	00+82	3+45	1s	
PI	S36½°W	1+49	4+94	3b	
PI	N69½°W	1+58	7+79	3b	
PI	S80½°W	2+19	9+98	3b	
PI	N14½°W	3+11	13+09	Ab	
PI	N3½°W	1+74	14+83	0	
PI	S85°E	1+95	16+78	0	
PI	N31°E	1+28	18+06	0	
PI	N69°E	2+12	20+18	7b	
PI	S44°E	1+05	21+23	7b	
PI	S31°E	1+45	22+68	7b	
PI	S77½°W	2+46	25+14	0	
PI	S15½°W	1+73	26+87	0	
PI	N84°E	2+00	28+87	0	TRAVERSE CLOSE.
PI	N45½°E	1+52	1+52	5c	
PI	N8½°E	5+52	7+04	5c	
PI	S83½°E	2+37	9+41	7c/Ab	
PI	S53°E	1+55	10+96	11	
PI	S29½°E	1+74	12+70	11	
PI	S32°E	1+23	13+93	11	

REMARKS
 STARTING AT THE
 E 1/4 COR. ON SEC.
 LINE SEC. 12 & 13
 T147N, R25W, 5PM.
 THENCE S. 20 CA. TO
 N 1/4 COR. ON E 1/4
 LINE OF SEC. 13 -
 147.25, THENCE W
 14 CH. AND 00+80
 CH. S. TO START
 OF PLANTATION.
 0° DECL. USED

PLANTATION
 No. 13
 CONT.

10

6/1/36

PANEK T

WILLIAMS FCh.

FLENNER R. Ch.

STARTING AT THE
 SEC. COR. ¹⁴¹³ T147N-
 R25W 5TH P.M. I
 RAN E 17+25 CH.
 ON SEC. LINE
 BETWEEN SEC. 13
 AND 14 THENCE
 N. 8700 CH. TO START
 OF PLANTATION.
 0° DECL. USED

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS
PI	S21°E	2+04	15+97	Ab	
PI	S29½°W	1+11	17+08	"	
PI	S46°E	1+84	18+92	"	
PI	S29½°W	1+81	20+73	5c	
PI	S78°W	2+05	22+78	5c	
PI	S59½°W	1+24	24+02	"	
PI	N64°W	00+62	24+64	"	
PI	S30°W	3+51	28+15	"	
PI	S65°E	1+40	29+55	"	
PI	S67°E	2+89	32+44	"	
PI	S30°E	1+74	34+18	"	
PI	S25°W	1+69	35+87	"	
PI	S12°E	1+62	37+49	"	
PI	S18°E	2+37	39+86	1	
PI	N89½°E	1+73	41+59	1	
PI	N23°E	0+87	42+46	1	
PI	N22°E	1+68	44+44	1	
PI	N22½°E	1+53	45+67	1	
PI	N66°W	1+32	46+99	1	
PI	N68°W	2+08	49+07	1	
PI	N70°W	1+23	50+30	1	
PI	S24°W	0+54	50+84	1	
PI	N37°W	1+15	51+99	1	
PI	N64°W	2+12	54+11	1	HIT TRAIL
PI	N33½°E	4+29	58+40	1	FOLLOW TRAIL
PI	N15°E	1+18	59+58	1	TRAIL

REMARKS

PLANTATION #13

CONT.

11

POINT	BEARING	DIST	STAT.	OUT SIDE TYPE
-------	---------	------	-------	---------------

REMARKS

REMARKS

PLANTATION #13
CONT. 12

PI	N17°W	2+03	61+61	1
----	-------	------	-------	---

PI	N1½°E	2+76	64+37	5C
----	-------	------	-------	----

TRAVERSE CLOSE.

STARTING AT POST NO. 2 PLANTATION NO. 13 THENCE RAN N18°E - 1+32 CH. AND N50°E - 2+93 CH. TO START OF PLANTATION

0° DECLUSED

PI	S65½°E	2+33	2+33	AC/AB
----	--------	------	------	-------

PI	S45°E	4+09	6+42	AC/AB
----	-------	------	------	-------

PI	N½°E	1+93	8+35	AC
----	------	------	------	----

PI	N8°E	2+44	10+79	AC
----	------	------	-------	----

PI	N68°W	2+02	12+81	AB
----	-------	------	-------	----

PI	Due W	2+42	15+23	AC
----	-------	------	-------	----

PI	N51°W	1+63	16+86	"
----	-------	------	-------	---

PI	S1°E	2+29	19+15	"
----	------	------	-------	---

STARTING AT CENT. ¼ COR. SEC. 13-14-25 RAN WEST ON E/W LINE 3+83 CH. TO START OF PLANTATION WHENCE

0° DECL. USED

PI	S12°E	1+59	1+59	1
----	-------	------	------	---

PI	S88°W	00+56	2+15	1
----	-------	-------	------	---

PI	N23°W	1+29	3+34	1
----	-------	------	------	---

PI	S78½°W	5+46	8+80	AB
----	--------	------	------	----

PI	S52°W	2+22	11+02	AB
----	-------	------	-------	----


PI	Due W	1+22	12+24	AB
----	-------	------	-------	----

PI	S78½°W	1+56	13+80	"
----	--------	------	-------	---

PI	N2°W	1+31	15+11	"
----	------	------	-------	---

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS	REMARKS
PI	N38½°W	1+27	16+38	Ab		
PI	N79°W	1+49	17+87	Ab		
PI	N47°E	2+07	19+94	7b		
PI	N42°E	1+30	21+24	7b		
PI	N51°E	1+52	22+76	7b		
PI	S50½°E	1+53	24+29	"		
PI	S9°E	00+78	25+07	7b		
PI	S84°E	1+33	26+40	Ab		
PI	S87½°E	1+67	28+07	"		
PI	N35°E	00+99	29+06	"		
PI	N19°E	1+52	30+58	1		
PI	S79°E	1+29	31+87	1		
PI	N65°E	1+03	32+90	1		
PI	S15°E	1+26	34+16	1		
PI	S77½°E	1+19	35+35	1		
PI	S8°E	1+31	36+66	1		

CLOSE OF
TRAVERSEEND OF TRAVERSE
ON PLANTATION
No. 13


CORNER POST AND COUNTING
PLOT TIE IN'S

Po #1 20+00 Ch. S + 14+00 Ch. W OF
E ¼ COR. ON SEC. LINE BETWEEN
SEC 12 & 13 T147N., R25W.,
5TH P.M.

Po #2 21+00 Ch. E AND 23+00 Ch.
N. OF SEC. COR. ¹⁴/₁₃ T147N.,
R. 25 W., 5TH P.M.

Po#3 2400 ch. E AND 25750 ch. N
OF SEC. COR. ^{14/13} 23/24 T147N, R25W.
5TH PM.

Po#4 6+00 ch. DUE W OF SEC. COR.
^{4/3} 9/10 T147N, R25W, 5TH PM.

Po#5 26700 ch. S AND 1700 ch. E. OF
1/4 COR BETWEEN SEC. 4 & 9 T147
N, R25W, 5TH PM.

Po#6 27+35 ch. DUE W OF SEC. COR. ^{4/3} 9/10
T147N, R.25W, 5TH PM.

Po#7 1+41 ch. N. OF 1/4 COR BETWEEN
SEC. 4 & 9 T147N, R25W, 5TH PM.

Po#8 1741 ch. N. AND 10+91 ch. W OF
1/4 COR BETWEEN SEC. 9 & 4. T147N, R.
25W, 5TH PM.

Po#9 8+39 ch. N OF 1/4 COR SEC. 3 & 4
T147N, R25W, 5TH P.M.

Po#10 19+98 ch. N OF 1/4 COR SEC. 3 & 4
T147N, R25W, 5TH. PM.

Po#11 27+49 ch. S. of 1/4 COR. SEC.
4 T147N, R25W. 5TH PM. &
SEC. 33 T148N, R.25W. 5TH PM.

Po#12 20+00 ch. W. AND 12+25 ch.
S OF 1/4 COR. SEC. 4 T147N,
R.25W & SEC. 33 T148N, R25W
5TH P.M.

Po.#13 3+23 ch. W OF C. 1/4 COR.
SEC. 13 T147N R25W 5TH.P.M.

CP#1 B 18+00 ch. E AND 6+50 1/4
ch. N OF SEC. COR. ^{14/13} 23/24 T147N
R25W 5TH P.M. 125 STAKES

CP#2 B 24+00 ch. E AND 26+00
ch. N OF SEC. COR. ^{14/13} 23/24 T147N,
R.25W, 5TH PM. 50 STAKES

3 CP#3 B 3+23 W OF C 1/4 COR.
SEC. 13 T147N R25W 5TH P.M.
100 STAKES

4 CP#4 B 20+00 ch. W AND 8 ch. S
OF SEC. COR. ^{4/3} 9/10 T147N, R.25W
5TH PM. 300 STAKES

5 CP#5 B 7+00 ch. N AND 5+50 ch.
W OF 1/4 COR BETWEEN
SEC. 3 & 4 T147N R25W
5TH P.M. 100 STAKES

6 CP#6 B 28+00 ch. S OF 1/4 COR
SEC. 4 T147N, R25W, 5TH PM.
AND SEC. 33 T148N. R25W.
5TH P.M. 125 STAKES

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS
PI	S26 ¹⁰ °E	1+79	1+79	1s	
PI	S9°W	2+40	4+19	1s	
PI	S24°W	1+69	6+88	Tb	
PI	S27°W	2+08	8+96	Tb	
PI	S50°E	1+35	12+03	7b	
PI	S25°W	1+72	10+68	1s	
PI	S50°E	1+35	12+03	7b	
PI	S15 ¹⁰ °E	1+54	13+57	7b	
PI	S58°E	1+39	14+96	7b	
PI	S30°E	1+58	16+54	7b	
PI	S89 ¹⁰ °W	2+40	18+94	7b	
PI	S48°E	3+00	21+94	7b	
PI	S21 ¹⁰ °E	1+13	23+07	7b	
PI	N72°W	1+93	25+10	5b	
PI	DUES	1+47	26+57	5b	
PI	S39°W	2+04	28+61	5b	
PI	N32°W	2+93	31+54	5b	
PI	N32 ¹⁰ °W	2+78	34+32	1	
PI	S80°W	1+33	35+65	1	INT. T.T.
PI	N42 ¹⁰ °W	3+05	38+70	7b	
PI	N16°W	2+42	41+12	1	
PI	N30°W	3+29	44+41	1	
PI	N58°W	4+26	48+67	0	
PI	N67°W	2+03	50+70	Ab	
PI	N71°W	2+40	53+10	Ab	
PI	S41°W	2+42	55+52	Ab	

REMARKS
 STARTING AT
 THE SEC. COR. OF
 121 T147N. R25W
 5TH P.M. THENCE
 0° DECL. USED

PLANTATION
 No. 14 SPRING 36 15

6/2/36

PANEK T
 WILLIAMS Fch.
 FLENNER R. Ch.

EQUIP.

1 2 ch. TAPE
 132'

STAFF COMPASS
 U.S. F.S. STANDARD

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS
PI	S41°E	1+55	57+07	Ab	
PI	N65°E	1+33	58+40	Ab	
PI	N43°E	1+68	60+08	Ab	
PI	DUE S	3+41	63+49	0	
PI	N77½°E	2+35	65+89	0	
PI	N87°E	2+77	68+61	0	
PI	S5°E	4+30	72+91	1s	
PI	S4°E	3+07	75+98	1s	
PI	S41½°W	2+04	78+02	1s	
PI	S48½°W	4+27	82+29	1s	
PI	S2°W	3+04	85+33	1s	
PI	S71°W	1+06	86+39	1s	
PI	S65°W	1+96	88+35	1s	
PI	S32°W				
		1+59	89+94	1s	CROSSED E 1/4
		+81	90+75	1s	LINE 56 CH. N. OF E 1/4
					COR. BETWEEN SEC.
					13 & 24-147-25.
PI	N88°W	3+77	94+52	1s	
PI	N89½°W	1+05	93+57	1s	
PI	N9°W	1+57	97+14	1s	
PI	N55½°E	1+92	99+06	1s	
PI	N3°W	2+43	104+49	1s	
PI	N71½°W	2+80	104+29	1s	
PI	N1°W	1+40	105+69	Ab	
PI	N21°E	2+53	108+22	Ab	
PI	N35°E	1+45	109+67	Ab	
PI	N56°W	1+58	111+25	Ab	

PLANTATION
#1A 16
CONTINUED

REMARKS

POINT	BEARING	DIST	STAT.	OUT-SIDE TYPE	REMARKS
PI	S51°W	1+59	112+84	AB	
PI	N52½°W	2+99	115+83	"	
PI	N10°W	2+20	118+03	"	
PI	N7½°W	1+22	119+25	AB	
PI	N79°E	2+24	121+49	"	
PI	N3½°E	1+18	122+67	"	
PI	N72°W	2+00	124+67	"	
PI	N27½°W	1+51	126+18	"	
PI	N83°E	1+74	127+92	"	
PI	N3°W	1+26	129+18	"	
PI	N35°E	00+79	129+97	1S	
PI	N14°W	00+87	130+84	1S	
PI	N87½°W	2+67	133+51	1S	
PI	N11½°W	00+81	134+42	⁵⁰ 3S	HIT HWY. #6
PI	DUE E	21+24	155+66	76TB	ALONG ROAD
PI	S7°E	1+30	156+96	"	
PI	S83°W	1+87	158+83	"	
PI	S10½°E	1+43	160+26	"	
PI	S65°E	1+76	162+02	"	
PI	N83°E	2+21	164+23	"	
PI	S23°E	1+69	165+92	"	
PI	S51°E	2+14	168+06	"	HIT T.T.
PI	N38°E	2+07	170+13	"	FOLLOW TRAIL
PI	N22½°E	2+99	173+12	"	
PI	N5°E	2+97	176+09	"	LEAVE T.T.
PI	DUE E	00+89	176+98	"	CLOSE OF TRAV.

PLANTATION
#14
CONT.

17

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS
PI	S54½°E	1+57	1+57	Ab	
PI	S47°W	1+59	3+16	Ab	
PI	S43½°E	1+86	5+02	"	
PI	S61½°W	1+06	6+08	"	
PI	S49°E	1+17	7+25	Ab	
PI	S68°W	1+42	8+67	"	
PI	N62½°W	2+41	11+08	Is	
PI	S45°W	2+07	13+15	Is	
PI	S63°W	1+52	14+67	Ab	
PI	N85½°W	1+13	15+80	"	
PI	N48°E	1+02	16+82	"	
PI	N62½°E	2+72	19+58	"	
PI	N32½°E	1+67	21+25	Ab	
PI	N35½°E	1+01	22+26	"	
PI	S71°W	1+40	23+66	"	
PI	N26½°W	0+60	24+26	O	
PI	N66°E	2+33	26+59	Ab	
PI	S46½°E	0+60	27+19	"	CLOSE OF TRAVERSE

REMARKS
 STARTING ON E 1/16
 COR ON SEC. LINE
 BETWEEN SEC.
 12 T147N-R35W.
 13 5TH PM. THENCE
 6700 CH. S. THENCE
 16+67 CH. W. TO
 START OF PLANT-
 ATION.

PLANTATION
 # 14
 CONT.

18

POINT	BEARING	DIST.	STAT.	OUT SIDE TYPE	REMARKS
PI	N28½°E	2+32	2+32	5/56	HIT F.W.
PI	N5°E	3+44	5+76	"	LEFT RIBB
PI	S66°W	1+09	6+85	"	
PI	S39°W	2+37	9+22	"	
PI	N27°W	2+26	11+48	"	
PI	S48°W	1+20	12+68	"	
PI	N27°W	1+80	14+48	"	
PI	N46°E	1+31	15+79	"	
PI	S85°E	1+12	16+91	"	
PI	N51½°E	1+45	18+36	"	
PI	N63°E	1+98	20+34	"	
PI	N15°W	1+67	22+01	"	
PI	N2½°W	3+03	25+04	"	
PI	N4°W	1+85	26+89	"	
PI	N41°W	1+45	28+34	"	
PI	N50°E	1+42	29+76	"	
PI	S78°E	1+73	31+49	5c	
PI	N41½°E	1+42	32+91	5c	HIT F.W.
PI	S33½°W	4+29	37+20	1	FOLLOW F.W.
PI	S15°W	1+18	38+38	1	
PI	S17°E	2+03	40+41	1	
PI	S1½°W	2+76	43+17	1	LEAVE F.W.
PI	S64°E	2+12	45+29	Ab	
PI	S37°E	1+15	46+44	Ab	
PI	N24°E	00+54	46+98	Ab	
PI	S70°E	1+23	48+21	5c	

PLANTATION #14
CONT. 19

REMARKS

STARTING AT THE
SEC. COR.
1813 THENCE
23 24 147-95
E. ON SEC. LINE
BETWEEN SEC. 138
24 TO POINT
12779 CH. TO
START OF PLANT-
ATION
0° DECL. USED

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS
PI	S68°E	2+08	50+29	5c	
PI	S66°E	1+32	51+61	"	
PI	S22½°W	1+53	53+14	1	
PI	S22°W	1+68	54+84	1	
PI	S23°W	00+87	55+71	1	
PI	S62½°W	1+08	56+79	1	
PI	S37°W	1+37	58+16	5c	
PI	S78°W	1+46	59+62	5c	
PI	S36½°W	2+25	61+87	"	
PI	S28°E	1+96	63+83	"	
PI	S82°E	2+02	65+85	"	
PI	S68½°E	1+00	66+85	"	
PI	S03°E	1+73	68+58	"	
PI	S15°E	00+82	69+40	"	
PI	S2°W	1+50	70+90	1	
PI	S4°E	00+68	71+58	1	
PI	S6°E	2+35	73+93	Rc	ON BANK OF BOWSING R.
PI	S82°W	1+63	75+56	Rc	
PI	S78½°W	1+46	77+02	"	
PI	S85°W	1+44	78+46	"	
PI	S66°W	1+29	79+75	"	
PI	S74½°W	00+88	80+63		RIVER BANK
PI	N86°W	1+24	81+87		"
PI	N67½°W	00+69	82+56	1	
PI	N15°W	1+60	84+16	Pb	
PF	N12°W	00+64	84+80	"	

REMARKS.

PLANTATION
#14
CONT.

19

POINT	BEARING	DIST	STAT	OUT-SIDE TYPE	REMARKS	REMARKS
PI	N56 ¹⁰ / ₂ W	1+43	86+23	AB		
PI	N30°E	2+29	88+52	5c		
PI	N34°E	2+13	90+65	5c		
PI	N28°E	1+81	92+46	"		
PI	N9°W	1+21	93+67	"		
PI	N58°W					
		2+32	95+99	5c	CROSSED F.W.	
		1+32	97+31	5c		
PI	N41°E	2+72	101+03	5c / _{5b}	CLOSE OF TRAVERSE	

PLANTATION #14
CONT. 20

CORNER AND COUNTING PLOT
TIE INS

- Po #1 AT SEC. COR. ¹²/₁₃ T147N.
R25 W., 5TH P.M.
- Po #2 15+00 CH S AND 6+00 CH.
W. OF SEC. COR. ¹²/₁₃ T147N
R25 W., 5TH P.M.
- Po #3 30+00 CH. DUE W. OF SEC.
COR. ¹²/₁₃ T147N. R25 N. 5TH
P.M.
- Po #4 56+00 AND 10+67 CH. W.
OF E. 1/16 COR. ON SEC. LINE
BETWEEN SEC. 12 & 13
T147 N., R25 W., 5TH P.M.

Po#5 12+00 Ch. E AND 2+00 Ch.
S OF SEC. COR $\frac{14}{23} \frac{13}{24}$ T147N,
R25W., 5TH P.M.

Po#6 12+79 DUE E OF SEC. COR $\frac{14}{23} \frac{13}{24}$
T147N., R25W., 5TH P.M.

Po#7 15+00 Ch. E AND 8+00 Ch. N
OF SEC. COR. $\frac{14}{23} \frac{13}{24}$ T.147N.
R25 W. 5TH. P.M.

CP#8 13+00 Ch. S AND 8+00 Ch.
W. OF SEC. COR $\frac{12}{13}$ T147N,
R25 W., 5TH P.M. 300 STAKES

CP#2B 15+00 Ch. E AND 5+00 Ch.
S. OF SEC. COR $\frac{14}{23} \frac{13}{24}$ T147N.
R25W., 5TH P.M. 175 STAKES

POINT	BEARING	DIST.	STAT.	OUT-SIDE TYPE	REMARKS	REMARKS	PLANTATION #15 SPRING-36 6/3/36 HL. BROWN
PI	N84°E	15+30	15+30	AB	START AT TT 480.	STARTING AT E	
PI	N22°W	6+00	21+30	"	"	1/16 COR. ON THE E.W. 1/4 LINE SEC. 22 - T58N R25W.	
PI	N62°W	2+00	23+30	"	"	4TH P.M. THENCE RAN	
PI	N38°W	4+69	27+99	"	"	E. ON 1/4 LINE 132'	2 CH. TAPE
PI	S81°W	8+43	36+42	"	"	0+70 CH. TO	STAFF COMPASS.
PI	S1°E	10+70	37+12	"	END OF TRAVERSE	START OF PLANTATION THENCE	

0° DECL. USED.

PI	N84°E	12+00	12+00	AB	"		
PI	N22°W	3+50	15+50	"	"		
PI	N62°W	1+60	17+10	"	"		
PI	N38°W	3+50	20+60	"	"		
PI	S81°W	4+43	25+03	"	"		
PI	S1°E	6+70	31+73	"	END OF TRAVERSE		

START AT E 1/16 COR. ON E.W. 1/4 LINE SEC. 22 - T58N - R25W 4TH P.M. RAN E ON 1/4 LINE 0+70 CH. THENCE N60°E 3+00 CH. TO OUTER EDGE OF PLANTATION THENCE 0° DECL. USED

TIE IN OF POST

PO #1 00+70 CH. DUE E OF E 1/16 COR ON E-W 1/4 LINE SEC. 22 T 58N, R 25W, 4TH P.M.
 CP #1B 00+70 CH. DUE E OF E 1/16 COR ON E-W 1/4 LINE SEC. 22 - 750 stakes T 58N, R 25W 4TH P.M.

POINT	BEARING	DIST.	STAT.	OUT SIDE TYPE	REMARKS
PI.	N88°E	2+89	2+89	Mb	
PI.	S7°E	1+60	4+49	Mb	
PI.	S1°W	1+78	6+27	Mb	
PI.	S4°E	1+53	7+80	Mb	
PI.	N51°E	0+96	8+76	Mb	
PI.	S45°E	0+76	9+52	Mb	
PI.	S72°E	1+42	10+99	Mb	
PI.	S76°E	1+10	12+04	Mb	Hwy #38
PI.	S18°W	1+08	13+12	Ac	
PI.	S41°W	1+02	14+14	Ac	
PI.	DUEE	1+25	15+39	Ac	
PI.	S6°E	1+12	16+51	Ac	
PI.	S3°W	1+10	17+61	Ac	
PI.	S15°W	1+62	19+23	Ac	
PI.	S18°W	2+13	21+36	Ac	
PI.	S20°W	2+41	23+77	Ac	
PI.	S25°W	0+56	24+33	Ac	CROSS TOWER ROAD
PI.	N56°W	1+22	25+55	Ac	
PI.	S47°W	0+34	25+89	Ac	
PI.	N74°W	0+73	26+62	Ac	
PI.	N6°E	1+48	28+10	Bc	ON TOWER ROAD
PI.	N59°W	1+10	29+20	Bc	LEAVE TOWER ROAD
PI.	S52°W	0+97	30+17	Bc	
PI.	S86°W	0+78	30+95	Bc	
PI.	S13°W	1+56	32+56	Bc	
PI.	S9°E	0+78	33+29	Bc	

REMARKS
 STARTING AT
 THE E 1/4 COR.
 COMMON TO SECTIONS
 16 AND 21 T. 58N.,
 R. 6W., 4TH PM.
 THENCE
 USING A 6° DECL.
 E.

PLANTATION #17
 FALL-36

10/15/36

23

PANEK C.P.

PETERSON T

MALCOLM F.C.

COFFIN R.C.

U.S.S. STANDARD
 COMPASS

2 CHAIN TAPE

DECL. 6°E.

POINT	BEAR ING	DIST	STAT.	OUT SIDE TYPE	REMARKS
PI	S 30°E	1+18	34+47	BC	
PI	S 11°W	1+48	35+95	AC	INTERSECTS
PI	S 84°W	1+72	37+67	AC	
PI	S 87°W	2+29	39+96	AC	
PI	S 83°W	1+15	41+11	AC	
PI	DUE W	3+54	44+65	AC	
PI	S 10°E	1+66	46+31	AC	
PI	S 24°E	1+17	47+48	AC	
PI	S 71°E	0+84	48+32	AC	
PI	N 81°E	0+88	49+20	AC	
PI	DUE E	1+25	50+45	AC	
PI	N 30°E	1+05	51+50	AC	
PI	N 74°E	1+32	52+82	AC	
PI	N 77°E	1+26	54+08	AC	
PI	N 74°E	0+81	54+89	AC	
PI	S 11°E	0+79	55+68	AC	
PI	S 55°W	2+08	57+76	AC	
PI	S 64°W	1+40	59+16	AC	
PI	S 8°W	0+91	60+07	AC	
PI	S 11°W	0+70	60+77	AC	
PI	S 14°W	0+80	61+50	AC	
PI	N 72°W	1+67	63+17	AC	
PI	S 7°E	0+97	64+09	AC	
PI	S 10°E	1+38	65+47	AC	

REMARKS

N 1/2 LINE OF SEC. 21 58-
26, 21 CHS. W OF N 1/2
COR. COMMON TO
SECTION 21 AND 22
58-26.

PLANTATION 17
(CONT.)

24

POINT	BEARING	DIST.	STA.	OUT-SIDE TYPE	REMARKS	REMARKS	PLANTATION 17 (CONTINUED)	25
PI	S 11° E	1+28	66+75	AC				
PI	N 77° E	1+52	68+27	AC				
PI	S 45° E	1+53	69+80	AC				
PI	S 6° E	1+58	71+38	AC				
PI	S 2° W	1+97	73+35	AC				
PI	S 77° W	1+60	74+95	AC				
PI	N 80° W	1+82	76+77	AC				
PI	N 58° W	1+23	78+00	AC				
PI	N 77° W	2+02	80+02	AC				
PI	S 13° E	1+34	81+36	AC				
PI	S 10° E	1+56	82+92	AC				
PI	S 12° W	1+26	84+18	AC				
PI	S 18° E	1+62	85+80	AC				
PI	S 63° E	1+78	87+58	AC				
PI	S 10° E	1+54	89+02	AC				
PI	N 86° E	1+48	90+50	AC	INTERSECT	E-W 1/4 LINE ¹ IN SEC. 21 8 COR. OF 1/4 COR. COMMON TO SECTIONS 21 AND 22-58-26		
PI	N 60° E	0+88	91+38	AC				
PI	S 76° E	1+20	92+38	AC				
PI	N 37° E	1+63	94+21	AC				
PI	N 11° E	1+96	96+17	AC				
PI	N 18° E	1+84	98+01	AC				
PI	N 22° E	2+57	100+58	AC				
PI	N 19° E	1+54	102+12	AC				
PI	N 30° E	1+25	103+37	AC				
PI	N 20° E	1+94	105+31	AC				
PI	N 21° E	1+98	107+29	AC				

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS	REMARKS	PLANTATION 17 CONTINUED 26
PI	Duen	1+70	108+99	AC			
PI	N20°E	1+66	110+65	AC	INTERSECT	E 1/4 LINE OF SEC. 21 58-26. AT A POINT 56 CH. N. OF E 1/4 COR. ON SECTION LINE COMMON TO SEC. 21 & 22 58-26.	
PI	N22°E	1+00	111+65	AC			
PI	N21°E	1+32	112+97	AC			
PI	N10°E	0+66	113+63	AC	INTERSECT	NW 1/4 LINE SEC. 21 58-26 AT A POINT 19 CH. W OF NW 1/4 COR. ON SECTION LINE COMMON TO SECTIONS 21 AND 22-58-26	
PI	S89°E	0+70	114+33	AC	HWY #38		
PI	S50°W	1+26	115+59	AC	FOLLOW HWY #38		
PI	S12°W	1+36	116+95	AC	"		
PI	S14°W	1+02	117+97	AC	"		
PI	S8°W	1+17	119+14	AC	"		
PI	S12°W	1+15	120+29	AC	"		
PI	S13°W	1+90	122+29	AC	"	CROSS E 1/4 LINE SEC. 21-58-26-50 CH. N. OF E 1/4 COR. ON SEC. LINE COMMON TO SECTIONS 21 AND 22-58-26.	
PI	S25°W	1+68	124+89	AC	FOLLOW HWY #38		
PI	S24°W	2+26	127+15	AC	"		
PI	S17°W	1+40	128+55	AC	"		
PI	S18°W	2+30	130+85	AC	"		
PI	S12°W	2+16	133+01	AC	"	CROSS E 1/4 LINE OF SEC. 21-58-26 AT A POINT 24 CH. W OF 1/4 COR. COMMON TO SECTIONS 21 & 22 58-26	

POINT	BEARING	DIST.	STA	OUT-SIDE TYPE	REMARKS
PI	S 11° W	1+21	134+22	AC	FOLLOW HWY #38
PI	S 13° W	3+97	138+19	AC	"
PI	S 10° W	3+02	141+21	AC	LEAVE HWY #38
PI	S 65° W	1+87	143+08	AC	
PI	N 79° W	1+38	144+46	AC	LEAVE
PI	S 37° W	1+17	145+63	AC	
PI	S 75° W	2+13	147+76	AC	
PI	S 5° W	3+25	150+01	B ₁ /1	
PI	S 46° W	0+94	151+95	B ₁ /1	
PI	N 31° W	1+76	153+71	AB	
PI	S 78° W	1+57	155+28	AB	
PI	N 37° W	1+70	156+98	AB	
PI	S 78° W	1+29	158+27	AB	
PI	N 80° W	2+08	160+35	AB/B	INTERSECT.
PI	S 42° W	0+97	161+32	O	
PI	N 44° W	1+32	162+64	AB	
PI	N 5° W	1+24	163+88	AB	
PI	DUE N	1+75	165+63	AB	
PI	N 14° W	1+58	167+21	AB	
PI	N 79° W	1+44	168+65	AB	
PI	S 54° W	0+86	169+51	AB	
PI	N 71° W	1+12	170+63	AB	
PI	S 44° W	1+08	171+71	AB 3b	
PI	S 47° W	1+62	173+33	AB 3b	
PI	S 32° W	1+10	174+43	AB 3b	

PLANTATION
17
CONTINUED. 27

FOLLOW MUSKEG LAKE
PLANTATION WAY

MUSKEG LAKE
PLANTATION WAY

INTERSECT. N-S 1/4 LINE OF SEC. 21
58-26 AT 11 CHS
S. OF CENTER 1/4 COR
SEC. 21 58-26.

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	S6°W	1+17	175+60	Ab3b	
PI	N84°E	0+92	176+52	Ab3b	
PI	S59°E	1+53	178+05	Ab3b	
PI	S31°W	1+40	179+45	Ab3b	
PI	S12°E	0+76	180+21	Ab3b	
PI	S59°W	1+50	181+71	Ab3b	
PI	S22°W	1+00	182+71	Ab3b	
PI	N73°W	1+14	183+85	Ab3b	
PI	N21°W	1+52	185+37	Ab3b	
PI	N19°W	1+27	186+64	Ab3b	
PI	N9°E	1+19	187+83	Ab3b	
PI	N16°W	1+58	189+41	Ab3b	
PI	N2°W	0+80	190+21	Ab3b	
PI	N20°E	1+82	192+03	Ab3b	
PI	N31°W	1+69	193+72	Ab3b	
PI	S69°W	0+84	194+56	Ab3b	
PI	N84°W	1+34	195+90	Ab3b	
PI	S67°W	1+65	197+55	Ab3b	
PI	S9°E	1+24	198+79	Ab3b	
PI	S16°E	1+21	200+00	Ab3b	
PI	N51°W	1+23	201+23	Ab3b	
PI	N41°W	1+85	203+08	Ab3b	
PI	N48°W	1+09	204+17	Ab3b	
PI	S28°W	1+11	205+28	Ab3b	
PI	S79°W	1+20	206+48	Ab3b	
PI	S2°E	1+29	207+77	Ab3b	

REMARKS

PLANTATION
17
CONTINUED

28

POINT	BEARING	DIST	STA.	OUT SIDE TYPE	REMARKS
PI	S1°E	1+14	208+91	Ab3b	
PI	DUE W	2+92	211+83	Ab3b	INTERSECT
PI					
PI	S80°W	1+82	213+65	Ab3b	
PI	N81°W	1+31	214+96	Ab3b	
PI	N20°W	1+66	216+62	Ab3b	
PI	N24°W	2+06	218+72	Ab3b	
PI	N19°W	1+86	220+58	Ab3b	
PI	N12°W	1+86	222+44	Ab3b	
PI	N18°W	0+78	223+22	Ab3b	INTERSECTION
PI	N13°W	1+12	224+34	Ab3b	
PI	N11°W	0+92	225+26	Ab3b	
PI	N16°W	1+50	226+76	Ab3b	
PI	N33°W	1+33	228+09	Ab3b	
PI	N50°W	0+84	228+93	Ab3b	
PI	N22°E	1+30	230+23	Ab3b	
PI	N3°E	1+61	231+84	2	
PI	N45°W	1+44	233+28	2	
PI	N37°W	1+77	235+05	2	
PI	N3°E	1+55	238+91	2	
PI	N16°E	1+81	240+72	Ab	CROSS
PI	N25°E	1+63	242+35	Ab	
PI	N23°E	1+63	243+93	Ab	
PI	N12°E	1+55	245+48	Ab	

W 1/4 LINE OF SEC. 21
58-26, 48 CH. S OF
W 1/4 COR. ON SECTION
LINE COMMON TO
SECTIONS 16 AND 21
58-26.

E-W 1/4 LINE OF SEC. 21-58
26 W 14 CH. E OF 1/4
COR. COMMON TO SECTIONS
20 AND 21-58-26.

MUSKIE LAKE PLANTATION
WAX, 2 CH. E OF LAKE

PLANTATION #17
CONTINUED 29

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	N2°W	0+76	246+29	AB	INTERSECT
PI	DVE E	2+60	248+89	AB	
PI	S2°W	0+58	249+42	0	
PI	S42°W	1+22	250+64	0	
PI	S23°W	1+27	251+91	0	
PI	S72°E	1+47	253+38	0	
PI	N31°E	1+87	255+25	0	
PI	N65°E	1+36	256+61	0	INTERSECT
PI	N66°E	1+42	258+03	0	
PI	N15°E	2+38	260+41	0	
PI	N50°W	2+68	263+09	0	INTERSECT
PI	DVEN	16+38	279+47	AB3b	W 1/4 COR.
PI	DUEE	40+00	319+47	AB3b	END OF TRAVERSE
					STARTING
PI	DUES	12+00	12+00	AB3b	
PI	S60°W	1+30	13+30	AB3b	
PI	S15°E	1+49	14+79	AB3b	
PI	S80°W	1+19	15+98	AB3b	
PI	S25°W	1+22	17+20	AB3b	
PI	S62°W	1+13	18+33	AB3b	
PI	S2°E	1+12	19+45	AB3b	
PI	S60°W	0+83	20+28	AB3b	

REMARKS
N 1/4 LINE SEC. 21-58-26
14 CH. E OF N 1/4 COR.
COMMON TO SECTIONS
20 AND 21 58-26.

SEC. 21-58-26
N 1/4 LINE 21 CH. S OF
W 1/4 COR. COMMON TO
SECTIONS 16 AND 21
58-26.

SEC. 21-58-26
N 1/4 LINE 16+38 CH.
S OF W 1/4 COR COMMON
TO SECTIONS 16 AND
21 58-26.

COMMON TO SECTIONS
16 AND 21 58-26.
AT E 1/4 COR COMMON
TO SECTIONS 16 AND 21
58-26.

AT THE S 1/4 COR ON THE
N S 1/4 LINE SEC. 21-58-26
THENCE

PLANTATION 17

CONTINUED

30

POINT	BEARING	DIST.	STA.	OUT. SIDE TYPE	REMARKS
PI	N 14° W	1+52	21+80	A636	
PI	N 7° W	1+46	23+26	A636	
PI	N 30° W	0+83	29+09	A636	
PI	N 27° W	1+27	25+36	A636	
PI	N 1° E	2+15	27+51	A636	
PI	N 11° E	0+95	28+46	A636	
PI	N 8° E	1+00	29+46	A636	
PI	N 13° W	1+28	30+79	A636	
PI	S 52° W	1+33	32+07	A636	
PI	S 60° W	1+61	33+68	A636	
PI	S 63° W	1+56	35+29	A636	
PI	N 14° E	2+18	37+42	A636	
PI	N 32° E	1+43	38+85	A636	
PI	N 33° E	1+32	40+17	A636	
PI	N 19° E	1+79	41+96	A636	
PI	N 45° E	0+99	42+95	A636	
PI	N 3° E	0+90	43+85	A636	
PI	N 29° E	1+48	45+33	A636	
PI	N 76° E	1+19	46+52	A636	
PI	S 84° E	1+35	47+87	A636	
PI	N 66° E	1+58	49+45	A636	
PI	N 37° E	1+05	50+50	A636	
PI	N 12° W	1+07	51+57	A636	
PI	N 18° E	1+10	52+67	A636	
PI	N 11° E	1+25	53+92	A636	
PI	N 1° E	1+25	55+17	A636	

REMARKS

PLANTATION #17

CONTINUED

31

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	N30°W	0+71	55+88	AB3b	
PI	N1°E	0+78	56+66	AB3b	
PI	S72°E	0+79	57+45	Bb	INTERSECT
PI	DUES	6+39	63+84	AB3b	END OF TRAVERSE

REMARKS
 NS 1/4 LINE SEC. 21-58-26
 6+39 ch. N of S 1/16
 COR.

AS 1/16 COR. ON
 THE NS 1/4 LINE
 SEC. 21-58-26

PLANTATION CORNER POST
 AND TIE INS

1) P17 P0#1 2+89 ch. E of E 1/16 COR.
 COMMON TO SECTIONS 16 AND 21
 58-26.

2) P17 P0#2 8 chs S AND 6 chs W. OF
 E 1/16 COR. ON THE E-W 1/4 LINE
 SEC. 21-58-26.

3) P17 P0#3 ON W 1/16 LINE 8 chs
 OF W 1/16 COR. ON THE E-W 1/4 LINE
 SEC. 21-58-26.

4) P17 P0#4 AT THE W 1/16 COR
 COMMON TO SECTIONS 16 AND
 21-58-26.

PLANTATION 17
 CONTINUED 32

- 4) B CP#1 P17 7chs. S 4chs.
E OF E $\frac{1}{16}$ COR. COMMON TO
SECTIONS 16 AND 21 - 58-26 P11
ALSO B. CP#1
- 2) E CP#1 P17 2chs. E. OF W $\frac{1}{16}$
COR. COMMON TO SECTIONS 16
AND 21-58-26 ALSO E CP#1 P11
- 3) B CP#2 P17 10chs. S, 2chs. E
OF W $\frac{1}{16}$ COR ON SECTION LINE
COMMON TO SECTIONS 16 AND
21-58-26 ALSO B CP#2 P11
- 4) E CP#2 P17 7ch. W, 1ch. N.
OF N $\frac{1}{16}$ COR ON THE E. $\frac{1}{16}$
LINE SEC. 21-58-26
- 5) B CP#3 P17 1ch E 9ch N
OF CENTER $\frac{1}{4}$ COR. SEC. 21-58-26
- 6) E CP#3 P17 8ch W, 5ch N
OF CENTER $\frac{1}{4}$ COR SEC. 21-58-26
- 7) B CP#4 P17 9ch N 8ch W
OF CENTER $\frac{1}{4}$ COR. SEC. 21-58-26.
- 8) E CP#4 P17 2ch E 15ch N
OF CENTER $\frac{1}{4}$ COR SEC. 21-58-26

COUNTING PLOTS AND
TIE-INS

	ROWS	STAKES
CP#1 -	19	475
CP#2 -	15	375
CP#3 -	5	125
CP#4 -	5	125
TOTAL	44	1100

ALSO B CP#5 P8

ALSO E CP#5 P8

ALSO B CP#6 P8

ALSO E CP#6 P8

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	N83°W	4+63	4+63	Ab3b	
PI	N10°E	3+64	8+27	Ab3b	
PI	N67°E	3+61	11+88	Ab3b	
PI	S15°E	2+57	14+45	Ab3b	INTERSECT
PI	S56°E	2+40	16+85	Ab3b	
PI	S39°W	1+98	18+83	Ab3b	
PI	S73°W	0+85	19+63	Ab3b	END OF TRAVERSE.
PI	S62°E	2+35	2+35	Ab3b	TRAIL
PI	S80°E	1+11	3+46	Ab3b	TRAIL
PI	N8°E	0+91	4+37	Ab3b	
PI	N32°E	2+10	6+47	Ab3b	
PI	N70°E	1+33	7+80	Ab3b	
PI	N65°W	1+25	9+05	Ab3b	
PI	N40°W	3+06	12+11	Ab3b	
PI	N84°W	2+80	14+91	Ab3b	INTERSECT
PI	S78°W	2+19	17+10	Ab3b	
PI	N89°W	1+52	18+62	Ab3b	
PI	N75°W	2+03	20+65	Ab3b	

REMARKS
 STARTING AT A
 POINT 2 CHS. N. OF
 THE S 1/4 COR. ON
 THE SECTION LINE
 COMMON TO SEC.
 28 AND 29-58-26
 THENCE

PLANTATION
 # 18 FALL 1936 34

10/22/36
 ED. PANEK C.P.
 PETERSON T
 MALCOLM FC.
 COFFIN RIC.

U.S. STANDARD
 COMPASS

SECTION LINE COMMON
 TO SEC. 28 AND SEC. 29
 T58N R26W. 5 CHS.
 N. OF THE S 1/4 COR.

2 CHAIN TAPE
 DECL. 60°E

STARTING AT A POINT
 2 CHS. N. OF THE S 1/4
 COR. ON THE E 1/4 LINE
 SEC. 29-58-26

E 1/4 LINE SEC. 29-58-26
 13 CHS. OF E 1/4 COR.
 ON THE E-W 1/4 LINE

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	S17°W	1+23	21+88	Ab3b	ROAD
PI	S75°E	3+45	25+33	Ab3b	ROAD
PI	S51°E	2+84	28+17	Ab3b	ROAD
PI	S22°E	1+88	30+05	Ab3b	ROAD
PI	S28°W	5+35	5+35	Ab3b	
PI	S5°E	1+97	6+32	Ab3b	
PI	N64°E	4+00	10+32	Ab3b	
PI	N68°E	1+23	14+55	Ab3b	
PI	N60°E	1+12	12+67	Ab3b	
PI	N69°E	1+12	13+79	Ab3b	
PI	S25°E	1+12	14+91	Ab3b	
PI	N83°W	1+11	16+02	Ab3b	
PI	S71°W	0+84	16+86	Ab3b	
PI	S20°W	1+17	18+03	Ab3b	
PI	S15°W	1+90	19+93	Ab3b	
PI	S24°W	1+20	21+13	Ab3b	
PI	S34°E	1+25	22+38	Ab3b	
PI	S44°W	3+19	25+57	Ab3b	
PI	S31°E	1+36	26+93	Ab3b	
PI	S69°E	1+43	28+36	Ab3b	
PI	S6°W	0+99	29+35	Ab3b	
PI	S18°W	1+64	30+99	Ab3b	
PI	S30°W	1+40	32+39	Ab3b	
PI	S55°W	1+44	33+83	Ab3b	
PI	S64°W	1+49	35+32	Ab3b	

REMARKS

END OF TRAVERSE

BEGINNING AT A POINT
5+41 CHS. W OF THE
E 1/2 COR. ON THE
S 1/2 LINE OF SEC. 29
58-26.

PLANTATION
#18
CONTINUED

35

POINT	BEARING	DIST	STA.	OUT SIDE TYPE	REMARKS
PI	S57°W	1+33	36+65	Ab3b	
PI	S43°W	1+45	38+10	Ab3b	INTERSECT
PI	S88°W	2+55	40+65	Ab3b	
PI	N60°W	2+40	43+05	Ab3b	
PI	N49°W	1+46	45+51	Ab3b	
PI	N55°W	1+45	46+96	Ab3b	
PI	N86°W	1+09	48+05	Ab3b	
PI	N73°W	2+43	50+43	Ab3b	INTERSECT
PI	S72°W	1+00	52+18	Ab3b	
PI	N10°W	1+57	53+75	Ab3b	
PI	N2°E	7+07	60+82	Ab3b	
PI	N13°E	2+91	63+73	Ab3b	
PI	N10°E	1+11	64+84	Ab3b	INTERSECT
PI	N1°W	2+00	66+84	Ab3b	
PI	S79°E	1+03	67+87	Ab3b	
PI	N26°E	1+80	69+67	Ab3b	INTERSECT.
PI	DUE E	12+77	82+44	Ab3b	END OF TRAVERSE
PI	DUE E	5+74	5+74	Ab3b	
PI	S30°E	3+75	9+49	Ab3b	

REMARKS

SECTION LINE COMMON
TO SECTIONS 29 AND
32 AT 29+50 CHS.
E OF SEC. COR. 29/28
32/33

N-S 1/4 LINE SEC. 29
58-26 4 CHS. N OF
1/4 COR. COMMON TO
SECTIONS 29 AND
32 - 58-26.

N-S 1/4 LINE SEC. 29-58-
26 - 16 CH. N OF 1/4
COR. COMMON TO SECTIONS
29 AND 32 - 58-26.

S 1/2 LINE 1+83 CHS.
E OF S 1/2 COR. ON
THE N-S 1/4 LINE
SEC. 29-58-26.

STARTING AT THE N
1/4 COR. ON SECTION
LINE COMMON TO
SECTIONS 29 AND 30
T.58N., R.26W.

PLANTATION
18
CONTINUED

36

POINT	BEARING	DIST	STA.	OUT SIDE TYPE	REMARKS
PI	S 2° W	2+31	11+80	Ab 3b	
PI	S 8° W	1+98	13+28	Ab 3b	
PI	S 16° E	2+00	15+28	Ab 3b	
PI	S 14° E	2+33	17+61	Ab 3b	
PI	S 11° E	1+58	19+19	Ab 3b	
PI	S 37° E	1+70	20+89	Ab 3b	
PI	S 21° E	2+50	23+39	Ab 3b	
PI	S 30° E	4+39	27+73	Ab 3b	INTERSECT
PI	DUE E	8+54	36+27	Ab 3b	
PI	N 11° W	2+03	38+30	Ab 3b	
PI	N 13° W	1+66	39+96	Ab 3b	
PI	N 7° E	1+46	41+42	Ab 3b	
PI	N 13° E	1+72	43+14	Ab 3b	
PI	N 5° W	1+28	44+42	Ab 3b	
PI	N 12° W	2+40	46+82	Ab 3b	
PI	N 2° E	1+59	48+41	Ab 3b	
PI	N 6° W	1+57	49+98	Ab 3b	
PI	N 2° W	3+27	53+25	Ab 3b	
PI	N 1° E	1+08	54+33	Ab 3b	
PI	N 2° W	2+36	56+59	Ab 3b	
PI	N 7° W	0+57	57+16	Ab 3b	INTERSECT
PI	DUE E	1+15	58+31	Ab 3b	N 1/16 COR.
PI	DUE S	4+94	63+25	Ab 3b	ON W 1/16 LINE SEC. 29-58-26.

PLANTATION
18
CONTINUED 37

E W 1/4 LINE SEC. 29
58-26-10+89 chs. E
OF 1/4 COR. ON
SECTION LINE COMMON
TO SECTION 29 AND
30 T. 58 N., R. 26 W.

N 1/16 LINE 18+85 chs
E OF W 1/16 COR ON
SECTION LINE COMMON
TO SECTIONS 29 AND 30-58-26.
ON THE W 1/16 LINE
SEC. 29-58-26.

POINT	BEARING	DIST	STA.	OUT SIDE TYPE	REMARKS
PI	DUE E	1+22	69+97	Ab 3b	
PI	S78°E	1+15	65+62	Ab 3b	
PI	S32°W	1+20	66+82	Ab 3b	
PI	S17°E	3+85	70+67	Ab 3b	
PI	S1°E	1+40	72+07	1	FURROWING P. 19
PI	S18°W	3+25	75+32	1	11
PI	S5°E	1+69	77+01	1	11
PI	S24°E	4+70	81+71	1	11
PI	DUE W	2+13	83+84	Ab 3b	LEAVE FURROWING
PI	S10°E	2+41	86+25	Ab 3b/1	
PI	S51°E	0+92	87+17	Ab 3b/1	
PI	S57°E	0+82	87+99	Ab 3b/1	
PI	S60°E	1+21	89+20	Ab 3b/1	
PI	S62°E	1+31	90+51	Ab 3b/1	
PI	S68°E	1+14	91+65	Ab 3b/1	
PI	S72°E	1+29	92+94	Ab 3b/1	
PI	S74°E	1+65	94+59	Ab 3b/1	
PI	S65°E	1+59	96+18	Ab 3b/1	
PI	N73°E	1+49	97+67	Ab 3b/1	
PI	S73°E	2+00	99+67	Ab 3b/1	
PI	S66°E	1+14	101+81	Ab 3b/1	
PI	N62°E	1+25	102+06	Ab 3b/1	
PI	N2°E	1+52	103+58	Ab 3b/1	
PI	N27°E	1+81	105+39	Ab 3b	
PI	S74°E	1+70	107+09	Ab 3b	

INTERSECT E W 1/4 LINE SEC. 29-58-26
56+50 CHS. W OF 1/4 COR. ON SECTION LINE
COMMON TO SECTIONS 28 AND 29-58-26.

PLANTATION
#18
CONTINUED

38

POINT	BEAR ING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	S66°E	1+73	108+47	Ab3b	
PI	S31°W	1+23	109+70	Ab3b	INTERSECT
PI.	DUES	4+47	114+17	Ab3b	PLANTATION WAY.
PI	S74°W	1+05	115+22	Ab3b	11
PI	S57°W	6+08	121+30	Ab3b	11
PI	S10°E	5+41	126+71	Ab3b	INTERSECT
PI	S16°W	0+30	127+01	Ab3b	
PI	S17°W	1+03	128+04	Ab3b	
PI	S15°W	5+14	133+18	Ab3b	
PI	S41°E	2+62	135+80	Ab3b	
PI	S10°E	1+73	137+53	5c/5a	
PI	S41°E	3+31	140+84	5c/5a	
PI	S5°W	1+00	141+84	Ab3b	
PI	S85°E	1+60	143+44	Ab3b	
PI	S4°E	0+70	144+14	Ab3b	
PI	S14°E	1+35	145+49	Ab3b	
PI	S16°E	0+44	145+93	Ab3b	
PI	S72°W	0+70	146+63	Ab3b	
PI	S80°W	1+39	148+02	Ab3b	
PI	N5°E	1+56	149+58	Ab3b	
PI	N58°W	1+55	151+13	Ab3b/1	
PI	N61°W	1+41	152+54	Ab3b/1	
PI	N69°W	1+39	153+93	Ab3b/1	
PI	S88°W	1+33	155+26	Ab3b	

PLANTATION
#18
CONTINUED 39

N-S 1/4 LINE SEC. 29-58-26
34 CHS. N. OF 1/4 COR. ON
SECTION LINE COMMON
TO SECTIONS 29 AND 32 T58N., R26W.

S 1/16 LINE SEC. 29-58-26
34+13 CHS. E. OF S 1/16
COR. ON THE SECTION
LINE COMMON TO SECTIONS 29 AND 30-58-26.

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	N84°W	2+40	157+66	Ab3b	
PI	N15°E	2+59	160+25	Ab3b	
PI	N23°W	1+86	162+11	Ab3b	
PI	N60°W	1+26	163+37	Ab3b	
PI	N37°W	1+46	169+83	Ab3b	
PI	N81°W	1+57	166+40	Ab3b	
PI	S75°W	2+02	168+42	Ab3b	
PI	N81°W	2+60	171+02	Ab3b	
PI	N77°W	1+65	172+67	Ab3b	INTERSECT
PI	DUE W	2+22	177+89	Ab3b	
PI	N73°W	2+91	177+30	Ab3b	
PI	S45°W	1+15	178+45	Ab3b/1	
PI	S23°W	1+44	179+89	Ab3b/1	
PI	N74°W	3+75	183+84	1	FURROWS P#19
PI	N75°E	2+64	186+48	Ab3b	LEVE FURROWS
PI	N19°E	3+14	189+62	Ab3b	
PI	N18°E	2+00	191+62	Ab3b	
PI	N9°E	2+33	193+85	Ab3b	
PI	N72°W	4+49	199+34	Ab3b	
PI	N1°E	4+15	203+49	Ab3b	
PI	N44°W	0+92	204+41	Ab3b	
PI	S83°W	8+63	213+04	Ab3b	TRAIL
PI	S54°W	0+77	213+81	Ab3b	
PI	S55°W	0+68	214+49	Ab3b	
PI	S72°E	1+13	215+62	Ab3b	

REMARKS

W 1/2 LINE SEC. 29-58-26
 AT 13765 CHS. N. OF W 1/2
 COR. ON SECTION LINE
 COMMON TO SECTIONS 29 AND
 32-58-26.

PLANTATION #18
CONTINUED 40

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	S 77° E	2+99	218+61	Ab 3b	
PI	S 80° E	3+73	222+34	Ab 3b	
PI	S 12° E	1+83	224+17	Ab 3b	
PI	S 11° W	3+11	227+28	Ab 3b	
PI	S 55° W	1+36	228+64	Ab 3b	INTERSECT FURROWING P19
PI	S 19° E	6+40	235+04	1	"
PI	S 5° E	3+09	238+13	1	"
PI	S 67° W	3+82	241+95	1	"
PI	S 19° W	3+72	245+67	1	"
PI	S 71° W	3+10	248+77	1	"
PI	N 40° W	1+02	249+79	1	"
PI	S 60° E	6+76	256+55	1	"
PI	N 58° E	9+44	265+99	1	"
PI	N 63° E	2+42	268+41	1	"
PI	N 21° W	1+74	270+15	1	"
PI	N 8° E	2+06	272+21	1	LEAVE FURROWS
PI	N 67° E	1+14	273+35	Ab 3b/1	
PI	N 73° E	2+41	275+86	Ab 3b	
PI	S 87° E	1+10	276+96	Ab 3b	INTERSECT
PI	S 78° E	1+06	278+02	Ab 3b	
PI	DUES	1+39	279+41	Ab 3b	
PI	S 1° E	2+59	282+00	Ab 3b	
PI	S 1° W	3+17	285+17	Ab 3b	

REMARKS.

PLANTATION #18
CONTINUED

A1

S 1/4 LINE SEC. 29-58-26
5+55 CHS. E OF S 1/4 COR.
ON SECTION LINE COMMON
TO SECTIONS 29 AND 30-58-26.

INTERSECT SECTION LINE
COMMON TO SEC. 29 AND 30-58-26
4 CHS N. OF SECTION CORNER
30/29
31/32

W 1/4 LINE SEC. 29-58-26
11+33 CHS. N OF W 1/4 COR.
ON SECTION LINE COMMON
TO SECTION 29 AND 32-58-26.

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	S88°W	0+89	286+06	Ab3b	INTERSECTED
PI	S89°W	1+58	287+64	Ab3b	
PI	N79°W	1+33	288+97	Ab3b/1	
PI	S7°W	1+53	294+50	Ab3b/1	
PI	S14°W	1+90	292+40	Ab3b/1	
PI	S3°W	1+06	293+46	Ab3b/1	
PI	S15°E	0+68	294+14	Ab3b/1	INTERSECT
PI	DUE W	17+16	311+30	Ab3b	SEC. COR.
PI	DUE N	4+00	315+30	Ab3b	FOLLOW SECTION LINE
PI	N40°E	1+65	316+95	Ab3b	
PI	N30°E	2+04	318+99	Ab3b	
PI	N22°E	3+02	322+01	Ab3b	
PI	N10°W	1+50	323+51	Ab3b	
PI	DUE N	3+59	327+10	Ab3b	
PI	N4°W	4+60	331+70	Ab3b	
PI	N6°W	0+68	332+38	Ab3b	INTERSECT
PI	DUE W	2+92	335+30	Ab3b	S 1/16 COR.
PI	DUE N	40+00	375+30	Ab3b	N 1/16 COR.
END OF TRAVERSE					
PI	DUE E	3+68	3+68	Ab3b	

PLANTATION #18
CONTINUED 42

W 1/16 LINE SEC. 29-58-26
4 CHS. N OF W 1/16 COR.
ON SECTION LINE COMMON
TO SECTIONS 29 AND 32-58-26.

SECTION LINE COMMON TO SEC. 29 AND
32 T 58 N, R 26 W. AT 17+16 CHS. E. OF
SECTION CORNER 30/29 58-26.
31/32

30/29 58-26.
31/32

S 1/16 LINE SEC. 29-58-26
2+92 CHS E OF S 1/16 COR. ON
SECTION LINE COMMON TO SECTIONS
29 AND 30-58-26.
ON SECTION LINE COMMON TO SEC.
29 AND 30-58-26.

ON SECTION LINE COMMON TO SEC.
29 AND 30-58-26.

STARTING AT A POINT ON THE E-W
W LINE AT 31+35 CHS. W OF W 1/4 COR. ON
SECTION LINE COMMON TO SECTIONS 28
AND 29-58-26.

POINT	BEARING	DIST	STA.	OUT SIDE TYPE	REMARKS
PI	S6°E	2+09	5+77	Ab3b	
PI	S11°W	1+63	7+40	Ab3b	
PI	S13°W	1+27	8+67	Ab3b	
PI	S6°W	3+87	12+54	Ab3b	
PI	S38°W	0+70	13+24	Ab3b	
PI	S64°W	0+46	13+70	Ab3b	
PI	S23°W	0+90	14+60	Ab3b	
PI	S12°E	1+02	15+62	Ab3b	
PI	S8°E	1+90	17+52	Ab3b	
PI	S2°E	2+16	19+68	Ab3b	
PI	S74°W	2+14	21+82	Ab3b	
PI	N5°E	1+34	23+16	Ab3b	
PI	N2°E	1+24	24+40	Ab3b	
PI	N5°W	5+71	30+11	0	
PI	N82°W	3+00	33+11	0	
PI	DUE N	1+32	34+43	Ab3b	
PI	N5°W	1+16	35+59	Ab3b	
PI	N2°W	1+73	37+32	0	
PI	N4°W	0+96	38+28	0	LAKE SHORE
PI	N58°E	2+60	40+88	Ab3b	END OF TRAVERSE

REMARKS

PLANTATION 18

CONTINUED

43

① P[#]18, F-36, P^o#1 2 chs. N
OF THE S $\frac{1}{16}$ COR. ON THE
SECTION LINE COMMON TO SECTIONS
28 AND 29 - 58-26.

② P[#]18 F-36 P^o#2 2 chs. N OF
THE S $\frac{1}{16}$ COR. ON THE E $\frac{1}{16}$ LINE
SEC. 29-58-26.

③ P[#]18 F-36 P^o#3 5+40 chs.
W OF THE E $\frac{1}{16}$ COR. ON THE
SOUTH $\frac{1}{16}$ LINE SEC. 29-58-26.

④ P[#]18 F-36 P^o#4 ON SECTION
LINE COMMON TO SECTIONS 29
AND 32 T58N R. 26W, 29 chs. W
OF SECTION COR. $\frac{29}{32} | \frac{28}{33}$ 58-26

⑤ P[#]18-F36 P^o#5 AT SECTION
CORNER $\frac{30}{31} | \frac{29}{32}$ - 58-26

⑥ P[#]18 F-36 P^o#6 AT N $\frac{1}{16}$ COR.
ON THE SECTION LINE COMMON
TO SECTIONS 29 AND 30 - 58-26.

⑦ P[#]18 F-36 P^o#7 32 chs. W
OF $\frac{1}{4}$ COR. ON SECTION LINE
COMMON TO SECTIONS 28 AND
29 - 58-26.

PLANTATION POST AND
COUNTING PLOT TIE INS

(1) B CP#1 P#18 2 chs. N. OF
THE S $\frac{1}{16}$ COR. ON THE SECTION
LINE COMMON TO SECTIONS
28 AND 29-58-26.

(2) E CP#1 P#18 5 chs. N - 2 chs.
W OF S $\frac{1}{16}$ COR. ON THE SECTION
LINE COMMON TO SECTIONS
28 AND 29-58-26.

(3) B CP#2 P#18 2 chs N OF
THE S $\frac{1}{16}$ COR. ON THE E $\frac{1}{16}$
LINE SEC. 29-58-26

(4) E CP#2 P#18 5 chs N - 1 ch.
E OF THE S $\frac{1}{16}$ COR. ON THE
E $\frac{1}{16}$ LINE SEC. 29-58-26.

(5) B CP#3 P#18 7 chs. W OF
THE E $\frac{1}{16}$ COR. ON THE S $\frac{1}{16}$ LINE
SEC. 29-58-26.

(6) E CP#3 P#18 5 chs. N AND 5 chs.
E OF THE $\frac{1}{4}$ COR. COMMON TO
SECTIONS 29 AND 32-58-26.

(7) B CP#4 P#18 26 chs. E OF
THE S $\frac{1}{16}$ COR. ON SECTION LINE
COMMON TO SECTIONS 29 AND
58-26.

(8) E CP#4 P#18 8 chs. E AND
3 chs N. OF $\frac{1}{4}$ COR. ON SECTION
LINE COMMON TO SECTIONS
29 AND 30-58-26.

PLANTATION
POST AND
COUNTING PLOT
TIE INS

PLANTATION #18
CONTINUED 45

C.P.#	ROWS	STAKES
1	3	75
2	3	75
3	14	350
4	24	600
TOTAL	44	1100

POINT	BEARING	DIST	STA.	OUT SIDE TYPE	REMARKS
					STARTING
PI	S76°E	3+55	3+55	Ab3b	
PI	N74°E	3+77	7+32	Ab3b	
PI	N53°E	2+20	9+52	Ab3b	
PI	N34°W	1+57	11+09	Ab3b	
PI	N57°W	4+91	16+00	Ab3b	
PI	N53°W	2+26	18+26	Ab3b	
PI	N58°W	3+40	21+66	Ab3b	
PI	S18°W	3+25	24+91	Ab3b	
PI	S5°E	1+69	26+60	Ab3b	
PI	S24°E	4+70	31+30	Ab3b	END OF

					STARTING
PI	N45°W	1+04	1+04	Ab3b	
PI	S55°W	1+36	2+40	Ab3b	INTERSECT
PI	S19°E	6+40	8+80	Ab3b	
PI	S5°E	3+09	11+89	Ab3b	
PI	S67°W	3+82	15+71	Ab3b	
PI	S19°W	3+72	19+43	Ab3b	
PI	S71°W	3+10	22+53	Ab3b	
PI	N40°W	1+02	23+55	Ab3b	INTER SECT
PI	S60°E	6+76	30+31	Ab3b	
PI	N58°E	9+44	39+75	Ab3b	

REMARKS

AT A POINT 23+50
CORS. E OF THE 1/4
COR. COMMON TO
SECTIONS 29 AND 30
58-26. THENCE.

PLANTATION 19
FALL 1936
10/26/36 46

PANER C.P.

PETERSON T

COFFIN F.C.

MALCOLM R.C.

U.S. F.S. STANDARD
COMPASS.

2 CHAIN TAPE

DECL. 6°E

TRAVERSE

AT A POINT 7+36
CORS. E OF S 1/4 COR.
ON SECTION LINE COMMON
TO SECTIONS 29 AND 30
58-26.

S 1/4 LINE SEC. 29-58-26
555 CORS. E OF THE S 1/4
COR. ON SECTION LINE
COMMON TO SECTIONS
29 AND 30. 58-26

SECTION LINE COMMON
TO SEC. 29 AND 30 - 58-26
4 CORS. N. OF SECTION COR.

30 | 29 58-26
31 | 32

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	N63°E	2+42	42+17	Ab3b	
PI	N21°W	1+79	43+91	Ab3b	
PI	N8°E	2+06	45+97	Ab3b	
PI	N27°W	4+36	50+33	Ab3b	
PI	N67°W	3+07	53+40	Ab3b	
PI	N28°W	7+45	60+85	Ab3b	END OF TRAVERSE
					BEGINNING
PI	N88°W	2+16	2+16	Ab3b	
PI	N5°E	0+99	3+15	Ab3b	
PI	N60°W	2+26	5+41	Ab3b	
PI	N50°W	5+29	10+65	Ab3b	
PI	S44°W	2+35	13+00	Ab3b	
PI	S79°E	1+67	14+67	Ab3b	
PI	S43°E	4+24	18+91	Ab3b	
PI	S80°E	3+00	21+91	Ab3b	END OF TRAVERSE

PLANTATION #19
CONTINUED 47

AT A POINT 4 chs
N. OF SECTION CUR.
30/29 58-26
31/32
THENCE

(1) P#19 F-36 P0#1 5 chs. N, 1 ch.
W OF SECTION COR. $\frac{30}{31} | \frac{29}{32} \quad 58-26$

(2) P#19 F-36 P0#2 7 chs. E OF
 $S\frac{1}{16}$ COR. ON SECTION LINE
COMMON TO SEC. 29 AND 30-58-26.

(3) P#19 F-36 P0#3 23 chs. E AND
00+50 chs. N. OF $\frac{1}{4}$ COR. COMMON
TO SECTIONS 29 AND 30-58-26.

(1) B CP#1 P#19 5 chs N AND
1+50 chs. W OF SECTION COR.
 $\frac{30}{31} | \frac{29}{32} \quad 58-26$

(2) B CP#2 P#19 6+50 chs. E
OF $S\frac{1}{16}$ COR. COMMON TO
SECTIONS 29 AND 30-58-26.

(3) B CP#3 P#19 23 chs. E AND
00+50 chs. N. OF $\frac{1}{4}$ COR. COMMON
TO SECTIONS 29 AND 30-58-26

PLANTATION POST AND
COUNTING PLOT TIE INS

Q.P.	ROWS	TREES
1	3	75
2	20	500
3	7	175
TOTAL	30	750

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	S 71°W	3+44	3+44	Ab3b	STARTING
PI	S 80°W	2+14	5+58	Ab3b	
PI	S 28°W	5+35	10+93	Ab3b	
PI	S 5°E	1+97	12+90	Ab3b	
PI	N 64°E	4+00	16+90	Ab3b	
PI	N 68°E	1+23	17+13	Ab3b	
PI	N 60°E	1+12	18+25	Ab3b	
PI	N 69°E	1+12	19+37	Ab3b	
PI	S 74°E	1+16	20+53	Ab3b	
PI	DUE E	0+85	21+38	Ab3b	
PI	N 81°E	1+07	22+45	Ab3b	
PI	N 85°E	1+05	23+50	Ab3b	
PI	N 80°E	1+19	24+69	Ab3b	
PI	S 68°E	1+22	25+91	Ab3b	
PI	S 85°E	1+23	27+14	Ab3b	
PI	N 34°E	1+47	28+61	Ab3b	
PI	N 44°E	1+90	30+51	Ab3b	
PI	N 20°W	1+00	31+51	Ab3b	
PI	N 30°W	1+31	32+82	Ab3b	
PI	N 88°W	6+49	39+31	Ab3b	TRAIL
PI	N 75°W	2+20	41+51	Ab3b	TRAIL
PI	N 11°W	0+99	0+99	Ab3b	STARTING
PI	N 11°E	3+11	4+10	Ab3b	
PI	N 12°W	1+83	5+93	Ab3b	

REMARKS

AT A POINT 1+37 CHS. N. OF S 1/16 COR ON E 1/16 LINE SEC. 29-52-26

PLANTATION 16
FALL 1936
10/22/36
A9

PANEX C.P.
PETERSON T
COFFIN F.C.
MALCOLM R.C.

U.S. F.S. STANDARD
COMPASS
2 CHAIN TAPE
DECL. 6°E

END OF TRAVERSE

AT A POINT 7+36 CHS. E OF THE S 1/16 COR. ON SECTION LINE COMMON TO SECTIONS 29 AND 30-52-26

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	N80°W	3+73	9+66	Ab3b	
PI	N77°W	2+99	12+66	Ab3b	
PI	N72°W	1+13	13+78	Ab3b	
PI	N53°E	0+68	14+46	Ab3b	
PI	N54°E	0+77	15+23	Ab3b	
PI	N83°E	8+63	23+86	Ab3b	
PI	S44°E	0+92	24+78	Ab3b	TRAIL
PI	S1°W	4+15	28+93	Ab3b	"
PI	S72°E	4+49	33+42	Ab3b	LEAVE TRAIL
PI	S9°W	2+33	35+75	Ab3b	
PI	S18°W	2+00	37+75	Ab3b	
PI	S19°W	3+14	40+89	Ab3b	
PI	S75°W	2+64	43+53	Ab3b	
PI	N29°W	5+35	48+88	Ab3b	END OF TRAVERSE
					STARTING
PI	N87°E	1+59	1+59	Ab3b	
PI	N9°E	1+17	2+76	Ab3b	
PI	N56°E	1+51	4+27	Ab3b	
PI	N84°E	1+98	6+25	Ab3b	
PI	N75°E	1+68	7+93	Ab3b	
PI	N25°E	1+96	9+89	Ab3b	
PI	N5°E	1+34	11+23	Ab3b	
PI	N2°E	1+24	12+47	Ab3b	
PI	N5°W	5+71	18+18	Ab3b	TRAIL
PI	N82°W	3+92	22+10	Ab3b	"

REMARKS

PLANTATION 16
CONTINUED

50

AT A POINT 1+83
225' E OF THE
S W 1/4 COR. ON THE
N-S 1/4 LINE SEC. 29-58-26.

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
PI	S23°W	2+93	25+03	Ab3b	TRAIL
PI	S67°W	4+32	29+35	Ab3b	"
PI	S74°W	1+05	30+40	Ab3b	TRAIL
PI	S57°W	6+08	36+48	Ab3b	LEAVE TRAIL
PI	S10°E	5+41	41+89	Ab3b	INTERSECT
PI	S16°W	0+30	42+19	Ab3b	
PI	S17°W	1+03	43+22	0	
PI	S15°W	5+14	48+36	0	
PI	S41°E	2+62	50+98	Ab3b	
PI	S70°E	1+73	52+71	50/50	
PI	S41°E	3+31	56+02	50/50	
PI	S5°W	1+00	57+02	Ab3b	
PI	S85°E	1+60	58+62	Ab3b	
PI	S4°E	0+70	59+32	Ab3b	
PI	S14°E	1+35	60+67	Ab3b	
PI	S16°E	0+44	61+11	Ab3b	
PI	N83°E	1+29	62+40	Ab3b	
PI	N10°W	1+57	63+97	0	
PI	N2°E	7+07	71+04	Ab3b	
PI	N13°E	2+91	73+95	Ab3b	
PI	N10°E	1+11	75+06	Ab3b	INTERSECT
PI	N1°W	2+00	77+06	Ab3b	
PI	S79°E	1+03	78+09	Ab3b	
PI	N26°E	1+80	79+89	Ab3b	END OF TRAVERSE

PLANTATION #16
(CONTINUED) 51

REMARKS

INTERSECT N. S. 1/4 LINE AT 29+58 CHS.
N. OF THE 1/4 COR. COMMON TO SECTIONS
29 AND 32-58-26.

S 1/2 LINE SEC. 29-58-26
34+13 CHS. E. OF S 1/2 COR. COMMON SECTION
LINE COMMON TO SECTIONS 29 AND
30-58-26

NS 1/4 LINE SEC. 29-58-26 AT 16 CHS. N.
OF 1/4 COR. COMMON TO SECTIONS 29 AND
32-58-26.

POINT	BEARING	DIST.	STA.	OUT SIDE TYPE	REMARKS
					STARTING
PI	S53°W	1+38	1+38	Ab3b	
PI	N59°W	6+34	7+72	Ab3b	
PI	N44°E	3+12	10+84	Ab3b	
PI	S75°E	3+91	14+75	Ab3b	
PI	S38°W	1+73	16+48	Ab3b	
PI	S7°E	1+27	17+15	Ab3b	
PI	S47°E	1+04	19+69	Ab3b	
PI	S55°E	1+00	20+69	Ab3b	END OF TRAVERSE.

- 1) P#16 F-36 P₀#1 1 ch. N OF
S 1/16 COR. ON THE E 1/16 LINE
SEC. 29-58-26.
- 2) P#16 F-36 P₀#2 9+46 chs
E AND 7+21 chs S. OF S 1/16
COR. ON THE N-S 1/4 LINE SEC. 29-
58-26.
- 3) P#16 F-36 P₀#3 2 chs. E
OF S 1/16 COR. ON N-S 1/4 LINE
SEC. 29-58-26.
- 4) P#16 F-36 P₀#4 7 chs. E OF
S 1/16 ON SECTION LINE COMMON
TO SECTIONS 29 AND 30-58-26.

PLANTATION #16
CONTINUED 52

REMARKS
AT A POINT 9+46 chs
E AND 7+21 chs S
OF S 1/16 COR. ON THE N-S 1/4 LINE
SEC. 29-58-26.

PLANTATION POST AND
COUNTING PLOT TIE INS

1) B CP#1 P#16 3 1/2 chs. S
AND 1 ch. W OF S 1/16 COR. ON
THE E 1/16 LINE SEC. 29-58-26.

2) ALSO B CP#1 P#8 F-35

(2) E CP#1 P#16 7 ch W. 5 chs.
S OF S 1/16 COR. ON THE E 1/16
LINE SEC. 29-58-26. ALSO E CP#8
F-35

3) B CP#2 P#16 9 + 46 chs E
7 + 21 chs. S OF S 1/16 COR ON
THE N-S 1/4 LINE SEC. 29-58-26.

4) ALSO B CP#2 P#8 F-35.

A) E CP#2 P#16 4 chs S, 3 chs.
OF S 1/16 COR. ON N-S 1/4 LINE
SEC. 29-58-26. ALSO E-CP#2
P#8 F-35

5) B. CP#3 P#16 13 chs. N
6 chs. E OF S 1/16 COR. ON
THE N-S 1/4 LINE SEC. 29-
58-26. ALSO B CP#3 P#8 F-35

6) E CP#3 P#16 2 chs. W, 1
ch N OF S 1/16 COR. ON N-S
1/4 LINE SEC. 29-58-26.

7) ALSO E CP#3 P#8 F-35.

7) B CP#4 P#16 15 chs. N.
2 chs. W. OF 1/4 COR. ON

SECTION LINE COMMON TO SECTION
29 AND 32-58-26.

CP#	ROWS	STAKES
1	3	75
2	2	50
3	10	250
4	5	125
5	2	50
6	8	200
TOTAL	30	750

ALSO B CP#4 P#8 F-35

- 8) E CP#4 P#16 4 ch W 7' ch
N OF $\frac{1}{4}$ COR COMMON TO
SECTION 29 AND 32-58-26
ALSO E CP#4 P#8 F-35.
- 9) B CP#5 P#16 9 chs. E AND
8 chs N OF $\frac{1}{16}$ COR ON SECTION
LINE COMMON TO SECTIONS
29 AND 30 -58-26. ALSO B
CP#3 P#11. F-35.
- 10) B CP#6 P#16 8 chs E OF $\frac{1}{16}$
COR. ON SEC. LINE COMMON TO
SECTIONS 29 AND 30 58-26