

T146N R26W

Book 2

T146N R26W
T146N

R26W

FIELD BOOK

82-0012


Book 2

INDEX

USFS Book #2
146 - 26

LAND CORNER MONUMENTS

INDEX



INDEX

pg

Traverse diagram of sec 30 20

Traverse of sec 30

1-4

① T146N R26W Sec 30 Sub,
 STA 1st H&D 2nd H&R 3rd H&D 4th H&R
 HA

Dist.
 1-2 91-10-14 268-49-08 91-10-33 196.91 196.87
 2-1 89-00-09 270-59-02 89-00-34 196.90 196.87

FS 3 83-12-57 263-12-51 83-12-57 263-12-50
 BS 1 00-00-20 180-00-21 00-00-26 180-00-29²²
 T@2 83-12-37 83-12-30 83-12-31 83-12-26⁻²⁸
 83-12-32

Dist.
 2-3 89-45-03 278-14-09 89-45-27 611.54 611.53
 3-2 90-18-04 269-41-16 90-18-24 611.55 611.59

FS 4 185-13-09 05-13-02 185-13-08 05-13-00
 BS 2 00-00-20 ¹⁸⁰⁻⁰⁰ 269-4-10 00-00-19 180-00-08
 T@3 185-12-49 185-12-52 185-12-49 185-12-52
 185-12-51

Dist.
 3-4 89-56-15 270-02-56 89-56-40 2230.66 2230.66
 4-3 90-04-44 269-54-46 90-04-59 2230.64 2230.64

✓ OK Cr. 5/1/85

Note: This monument was
 removed/moved in 1990.
 set by Whitehorn
 #416194 filed in T146N
 R26W S30



STA 1 =

196.87 ✓

PK nail

PK nail

3.90 W. 19

4-30-85

B. Mark

G. Rob. Olson

TEMP - 64°F

BPR - 29.8

ECF - +1

72.5N-265.18W

Red MSN-4863

STA 2 = 60d spike
 on road shoulder

611.54 ✓

5" R. Oak

4" aspen



18.15



23.28

STA 3 =

2230.65 ✓

78102 2230

T146N R26W Sec 30 Sub

Traverse Cont'd from pg 1

STA 1st H&D 2nd H&R 3rd H&D 4th H&R
H&A

FS 5 202-48-11 22-47-55 202-48-05 22-47-53

BS 3 00-00-26 180-00-13 00-00-15 180-00-14

T@4 202-47-45 202-47-42 202-47-50 202-47-39

202-47-44

Dist 4-5 90-37-25 269-22-44 90-37-15 877.93 877.88

Dist 5-4 89-25-01 270-34-18 89-25-21 877.93 877.89

FS 6 204-54-41 24-54-18 204-54-36 24-54-30

BS 4 00-00-16 180-00-08 00-00-10 180-00-08

T@5 204-54-25 204-54-20 204-54-26 204-54-28

204-54-25

Dist 5-6 90-09-13 269-50-19 90-09-27 2089.20 2089.19

Dist 6-5 89-52-56 270-06-17 89-53-20 2089.20 2089.20

✓ OK G&A 5/1/85

April 30, 1985

21.30 22.31
PK nail PK nail

STA 4 = 60d spike in
front of Little Winnie
Resort sign

877.88

J. Pine stump

4 J. Pine

19.25

STA 5 =

2089.19

T146 NR 26W SEC. 30 Sub

TRAVERSE Cont. from Pg. 2

STA 1st H&D 2nd H&R 3rd H&D 4th H&R

H&R

FS 7 132-05-17 312-05-06 312-05-10 312-05-03

BS 5 00-00-24 180-00-13 00-00-26 180-00-13

TR 6 132-04-53 132-04-55 132-04-44 132-04-50

132-04-50 ✓

Dist 6-7 89-10-32 270-47-06 89-10-43 588.25 588.19

Dist 7-6 90-52-44 269-06-26 90-53-09 588.25 588.18

FS 8 172-31-15 352-31-10 172-31-13 352-31-13

BS 6 00-00-25 180-00-11 00-00-20 180-00-14

TR 7 172-30-50 172-30-59 172-30-53 172-30-59

172-30-55 ✓

Dist, 7-8 89-00-25 270-58-46 89-00-50 169.76 169.73

Dist, 8-7 91-11-54 268-47-21 91-12-16 169.78 169.74

VOK GR. 5/1/85

April 30, 1985

PK 10.1

12.81

15.44

PK 10.1

STA 6 = 60d spike
on road shoulder
So. of stop sign

588.18 ✓

17.77

PK 10.1

STAT = 60d spike in
center of forest road

M

3" R. Pine

169.74 ✓

PK 10.1

4" aspen

4

T146N R26W Sec 30 Sub

TRAVERSE Cont. from Pg 3

STA 1st H&R 2nd H&R 3rd H&R 4th H&R
H&R

FS 9 105-03-~~36~~³⁸ 285-03-~~26~~³⁷ 105-03-44 285-03-40

BS 7 00-00-~~22~~¹⁷ 180-00-10 00-00-09 180-00-10

T@ 8 105-03-~~24~~²¹ 105-03-27 105-03-35 105-03-30

105-03-28 ✓

Dist. 8-9 101-58-08 258-01-36 101-58-16 78.70 76.99

Dist. 9-8 78-29-22 281-29-55 78-29-43 78.59 77.01

VOK bk 5/1/85

April 30, 1985 4

10" aspen

Q

12.20

4.25 *

S.R. Pine

STA 8 = Godspike

77.00 ✓

STA 9 =



Pages


5 thru ~~20~~
19

Blank

TRAVERSE DIAGRAM



OF SEC 30



END OF
BOOK