

640700

74
✓
x

Minnesota National Forest

Township Range Meridian

Corner 1/4 12 31

Corner Description 1/4 on n side of sec 1

Corner Markings Iron corner 2 ft high 2 inch dimensions

no witnesses sd corner 4 T. from high land

Witnesses

General Location In open meadow 4 T. from high land.

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any.)

JAN - 8 1924

W. Cummings
Forest Ranger

640 700

Minnesota National Forest

Township Range Meridian

Corner 1/4 Sec 1 142 31

Corner Description

Iron stake 2" above ground

Corner Markings

Witnesses

None

General Location

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners, or other distinctive objects which will enable others to locate. Mention blazing done if any.)

Corner set in open meadow.

Melvin L. Gump
Forest Ranger

Describe marks
which corner?
of sec 1?
HH

640700

Form 874-9

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Miami NATIONAL FOREST
CORNERS OF THE PUBLIC SURVEY

T. *142* R. *31* *5'* Mer.

Corner common to Sections
1 7/8, _____, and _____

DESCRIPTION OF CORNER

Corner consists of a *iron stake*

Dimension above ground *22* inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species *21* *White oak*

Diameter _____

Bearing *to open corner set*

Distance *in open meadow*

Do you believe this to be a genuine Land Office Corner? _____

If not, why? _____

M. G. Cummings
Signature.

Date.

Title.

8-5027

Reverse side of this 'Form 874-9' is blank