

Minnesota

National Forest

Township 144 Range 26 Meridian

Corner Sec. 28, 29, 32, 33Corner Description

Stake Iron with metal cap. 2 ft. 4x4

Corner Markings

Believed to be genuine Land Office Corner

Witnesses

BT, Oak, 14" N, 15 Chs.

General Location

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any.)

Matt SoderbackForest Ranger

checked  
1/25  
44  
SHH  
9-28

U. S. DEPARTMENT OF AGRICULTURE  
FOREST SERVICE

Minnesota NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 26 Mer.

Section Corner common to Sections  
28, 29, 32, and 33

DESCRIPTION OF CORNER

Corner consists of a ~~stake~~ stake iron  
with metal cap  
Dimension above ground 2 ft. 4x4 inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

NW	SW	SE	NE

Mound of \_\_\_\_\_ is located \_\_\_\_\_

Pits are located \_\_\_\_\_

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Set	T. 144 N R. 26 W <del>28</del>	144 26 29		
	BT	BT		

Species oak white  
Diameter 14"  
Bearing N  
Distance  15 lks

Do you believe this to be a genuine Land Office Corner? yes

If not, why? Re-Established by G. L. O.

Matt Soderback  
Signature.

7-24-73  
Date.

Ranger  
Title.



T. \_\_\_\_\_ R. \_\_\_\_\_ Mer.

8-3027

(Make sketch of topography near Corner.)

Sec.		Sec.	
Sec.		Sec.	

Metal Location Poster is on a \_\_\_\_\_  
tree \_\_\_\_\_ inches diameter, on the \_\_\_\_\_  
side of \_\_\_\_\_  
from which this Corner bears \_\_\_\_\_  
\_\_\_\_\_ chains distant.

Give any further facts which will aid in finding this  
Corner again.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_