

500400

64

Minnesota National Forest

Township 144 Range 27 Meridian

Corner See Corner

Corner Description See 14-15-22nd and 23

Corner Markings None, corner.

Witnesses See 15 30 feet NW of corner Small stub 6 feet high. and 4 inches. through.
See 23, 30 feet east of corner old tamarack
Did not find Witnesses for 14 and 22

General Location Corner sets 100 paces from high land in tamarack swamp

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any.)

JAN 9 1924

Melvin J. Cummings
Forest Forest Ranger

574
3-28

checked
1/28
H.H.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Miner NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 144 R. 27 Mer.

Sec Corner common to Sections

14, 15, 22, and 23

DESCRIPTION OF CORNER



Corner consists of a two squared living spurs

Dimension above ground in app. exposure inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION



N W S E

NW SW SE NE

Mound of _____ is located _____

_____ Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

144
R. 27



BT



Species farm dead

Diameter 10

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

D. K. Korman Signature.

Dec 5 1927 Date.

_____ Title.

T. 144N R. 27 W 5 Mer.

8-3027

(Make sketch of topography near Corner.)

Sec. <u>1</u>	Sec. <u>4</u>
Sec. <u>22</u>	Sec. <u>23</u>

Blue
Metal Location Poster is on a spruce
tree 8 inches diameter, on the E
side of N & S line
from which this Corner bears S 42 W (Mag)
25 L chains distant.

Give any further facts which will aid in finding this Corner again.

2 squared spruce
trees of approx size.