

400300

82

Minnesota National Forest

Township 145 Range 27 Meridian

Corner Sec corner

Corner Description 21-22-27 and 28

Corner Markings five corner tamarack $2\frac{1}{2}$ feet high

Witnesses 4 small tamarack set around corner

General Location corner set in swampy tally
and $3\frac{1}{2}$ tallies from Huska road
210 paces north to high land

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any.)

JAN 9 1924

Mellie Hemmings
Forest Forest Ranger

checked 1/25
H.H.

400300

Form 874-9

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 145 R. 27th 5th Mer.

Corner common to Sections

21, 22, 28, and 27

DESCRIPTION OF CORNER

Corner consists of a Scribed Stake

Dimension above ground 24" x 4" inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

--	--	--	--

5	5	5	5
22	28	27	21

N W S E

NW SW SE NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

Species _____

Diameter _____

Bearing _____

Distance _____

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

A. W. Johnson

Signature.

9-30-29

Date.

Estimator

Title.

T. 195 R. 27th 5th Mer.

8-3027

(Make sketch of topography near Corner.)

Sec. 21	Sec. 22
Sec. 28	Sec. 27

Metal Location Poster is on a Pine
tree 3 inches diameter, on the W
side of Line
from which this Corner bears S. 74° W.
8.5 links chains distant.

Give any further facts which will aid in finding this
Corner again.

Located in a Pine
swamp.