

600200

103

Minnesota National Forest

Township 145 Range 27 Meridian

Corner 25-26-35 & 36.

Corner Description *Spice stake four feet high*

Corner Markings *Stake marked with the four sec nos*

Witnesses *Sec. 25- 2 3 inch Norway cut four feet high*
" 26 8 " Jack pine

General Location *On side hill near tamarac swamp*
Between swamp and old road to Ball Club.

(Relation to other corners by alignment and measurement, also with topographic features, roads, streams, trails, fence corners or other distinctive objects which will enable others to locate. Mention blazing done if any.)

JAN 9 1902

S. Swanwick Wright
Forest *Rangers*

checked
1/25
HH.

600200

Form 874-9—Revised May, 1918

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Chippewa NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 145 N R. 27 W 5 Mer.

Section Corner common to Sections

35, 36, 25, and 26

Corner consists of a scribed stake (not) in place

State condition sound

Dimensions above ground 4 X 4 X 50 inches.

Sketch grooves, letters, figures, or notches, on proper face or edge.

CARDINAL POSITION

DIAGONAL POSITION

N	W	S	E

S 26	S 35	T145N R27W S36	S 25
NW	SW	SE	NE

Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

C			T145N R27W S36
			BT

Species _____

Diameter _____

Bearing _____ N15° E

Distance _____ 33 links

Do you believe this to be a genuine Land Office Corner? Yes

If not, why? _____

W. G. Brewster

Signature.

9-13-29

Date.


Chief of Party

Title.

T. 145 N R. 27 W Mer.

8-3027

(Make sketch of topography near Corner.)



Metal Location Poster is on a J. Pine
 tree 13 inches diameter, on the S
 side of LINE
 from which this Corner bears S
30 links
 chains distant.

Give any further facts which will aid in finding this
 Corner again.

Located on edge
of Dan. Swank